

American Psychiatric Association. (2013). Diagnostic and statistical manual of mental disorders (DSM-5®). American Psychiatric Pub.

Berkman LF, Syme SL. Social networks, host resistance, and mortality: a nine-year follow-up study of Alameda County residents. *Am J Epidemiol*. 1979 Feb;109(2):186-204. doi: 10.1093/oxfordjournals.aje.a112674. PMID: 425958.

Brewster K, Choi CJ, He X, et al. Hearing Rehabilitative Treatment for Older Adults With Comorbid Hearing Loss and Depression: Effects on Depressive Symptoms and Executive Function. *Am J Geriatr Psychiatry*. 2022 Apr;30(4):448-458. doi: 10.1016/j.jagp.2021.08.006. Epub 2021 Aug 14. PMID: 34489159; PMCID: PMC8841567.

Cacioppo JT, Hawkley LC, Thisted RA. Perceived social isolation makes me sad: 5-year cross-lagged analyses of loneliness and depressive symptomatology in the Chicago Health, Aging, and Social Relations Study. *Psychol Aging*. 2010 Jun;25(2):453-63. doi: 10.1037/a0017216. PMID: 20545429; PMCID: PMC2922929.

Calcia MA, Bonsall DR, Bloomfield PS, Selvaraj S, Barichello T, Howes OD. Stress and neuroinflammation: a systematic review of the effects of stress on microglia and the implications for mental illness. *Psychopharmacology (Berl)*. 2016 May;233(9):1637-50. doi: 10.1007/s00213-016-4218-9. Epub 2016 Feb 5. PMID: 26847047; PMCID: PMC4828495.

Cao C, Hu L, Xu T, et al. Prevalence, correlates and misperception of depression symptoms in the United States, NHANES 2015-2018. *J Affect Disord*. 2020 May 15;269:51-57. doi: 10.1016/j.jad.2020.03.031. Epub 2020 Mar 14. PMID: 32217343.

Choi JS, Betz J, Deal J, et al. A Comparison of Self-Report and Audiometric Measures of Hearing and Their Associations With Functional Outcomes in Older Adults. *J Aging Health*. 2016 Aug;28(5):890-910. doi: 10.1177/0898264315614006. Epub 2015 Nov 9. PMID: 26553723; PMCID: PMC5937530.

Cohen S, Wills TA. Stress, social support, and the buffering hypothesis. *Psychol Bull*. 1985 Sep;98(2):310-57. PMID: 3901065.

Cole SW, Hawkley LC, Arevalo JM, Sung CY, Rose RM, Cacioppo JT. Social regulation of gene expression in human leukocytes. *Genome Biol*. 2007;8(9):R189. doi: 10.1186/gb-2007-8-9-r189. PMID: 17854483; PMCID: PMC2375027.

Coyle CE, Dugan E. Social isolation, loneliness and health among older adults. *J Aging Health*. 2012 Dec;24(8):1346-63. doi: 10.1177/0898264312460275. Epub 2012 Sep 23. PMID: 23006425.

Cudjoe TKM, Roth DL, Szanton SL, Wolff JL, Boyd CM, Thorpe RJ. The Epidemiology of Social Isolation: National Health and Aging Trends Study. *J Gerontol B Psychol Sci Soc Sci*. 2020 Jan 1;75(1):107-113. doi: 10.1093/geronb/gby037. PMID: 29590462; PMCID: PMC7179802.

Deal JA, Albert MS, Arnold M, et al. A randomized feasibility pilot trial of hearing treatment for reducing cognitive decline: Results from the Aging and Cognitive Health Evaluation in Elders Pilot Study. *Alzheimers Dement (N Y)*. 2017 Jun 21;3(3):410-415. doi: 10.1016/j.trci.2017.06.003. PMID: 29067347; PMCID: PMC5651440.

Deal JA, Betz J, Lin FR, Reed NS. Interpreting Results from Epidemiologic Studies. *Semin Hear*. 2021 Feb;42(1):3-9. doi: 10.1055/s-0041-1725996. Epub 2021 Apr 15. PMID: 33883787; PMCID: PMC8050417.

Gardiner C, Geldenhuys G, Gott M. Interventions to reduce social isolation and loneliness among older people: an integrative review. *Health Soc Care Community*. 2018 Mar;26(2):147-157. doi: 10.1111/hsc.12367. Epub 2016 Jul 13. PMID: 27413007.

Gopinath B, Wang JJ, Schneider J, et al. Depressive symptoms in older adults with hearing impairments: the Blue Mountains Study. *J Am Geriatr Soc*. 2009 Jul;57(7):1306-8. doi: 10.1111/j.1532-5415.2009.02317.x. PMID: 19570163.

Hawkley LC, Cacioppo JT. Loneliness matters: a theoretical and empirical review of consequences and mechanisms. *Ann Behav Med*. 2010 Oct;40(2):218-27. doi: 10.1007/s12160-010-9210-8. PMID: 20652462; PMCID: PMC3874845.

Hawkley LC, Kocherginsky M. Transitions in Loneliness Among Older Adults: A 5-Year Follow-Up in the National Social Life, Health, and Aging Project. *Res Aging*. 2018 Apr;40(4):365-387. doi: 10.1177/0164027517698965. Epub 2017 Mar 17. PMID: 29519211; PMCID: PMC6355458.

Heffernan E, Withanachchi CM, Ferguson MA. 'The worse my hearing got, the less sociable I got': a qualitative study of patient and professional views of the management of social isolation and hearing loss, *Age and Ageing*, Volume 51, Issue 2, February 2022, afac019. doi.org/10.1093/ageing/afac019.

Holt-Lunstad J. Why Social Relationships Are Important for Physical Health: A Systems Approach to Understanding and Modifying Risk and Protection. *Annu Rev Psychol*. 2018 Jan 4;69:437-458. doi: 10.1146/annurev-psych-122216-011902. Epub 2017 Oct 16. PMID: 29035688.

Holt-Lunstad J, Smith TB, Layton JB. Social relationships and mortality risk: a meta-analytic review. *PLoS Med*. 2010 Jul 27;7(7):e1000316. doi: 10.1371/journal.pmed.1000316. PMID: 20668659; PMCID: PMC2910600.

House JS, Landis KR, Umberson D. Social relationships and health. *Science*. 1988 Jul 29;241(4865):540-5. doi: 10.1126/science.3399889. PMID: 3399889.

Hsu WT, Hsu CC, Wen MH, et al. Increased risk of depression in patients with acquired sensory hearing loss: A 12-year follow-up study. *Medicine (Baltimore)*. 2016 Nov;95(44):e5312. doi: 10.1097/MD.0000000000005312. Erratum in: *Medicine (Baltimore)*. 2017 Feb 24;96(8):e6274. PMID: 27858911; PMCID: PMC5591159.

Jones CA, Siever J, Knuff K, et al. Walk, Talk and Listen: a pilot randomised controlled trial targeting functional fitness and loneliness in older adults with hearing loss. *BMJ Open*. 2019 Apr 14;9(4):e026169. doi: 10.1136/bmjopen-2018-026169. PMID: 30987987; PMCID: PMC6500300.

Kiely KM, Anstey KJ, Luszcz MA. Dual sensory loss and depressive symptoms: the importance of hearing, daily functioning, and activity engagement. *Front Hum Neurosci*. 2013 Dec 16;7:837. doi: 10.3389/fnhum.2013.00837. PMID: 24379769; PMCID: PMC3864127.

Lawrence BJ, Jayakody DMP, Bennett RJ, Eikelboom RH, Gasson N, Friedland PL. Hearing Loss and Depression in Older Adults: A Systematic Review and Meta-analysis. *Gerontologist*. 2020 Apr 2;60(3):e137-e154. doi: 10.1093/geront/gnz009. PMID: 30835787.

Livingston G, Huntley J, Sommerlad A, et al. Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. *Lancet*. 2020 Aug 8;396(10248):413-446. doi: 10.1016/S0140-6736(20)30367-6. Epub 2020 Jul 30. PMID: 32738937; PMCID: PMC7392084.

Marques T, Marques FD, Miguéis A. Age-related hearing loss, depression and auditory amplification: a randomized clinical trial. *Eur Arch Otorhinolaryngol*. 2022 Mar;279(3):1317-1321. doi: 10.1007/s00405-021-06805-6. Epub 2021 Apr 16. PMID: 33860839.

Mick P, Kawachi I, Lin FR. The association between hearing loss and social isolation in older adults. *Otolaryngol Head Neck Surg*. 2014 Mar;150(3):378-84. doi: 10.1177/0194599813518021. Epub 2014 Jan 2. PMID: 24384545.

Mick P, Pichora-Fuller MK. Is Hearing Loss Associated with Poorer Health in Older Adults Who Might Benefit from Hearing Screening? *Ear Hear*. 2016 May-Jun;37(3):e194-201. doi: 10.1097/AUD.0000000000000267. PMID: 26825862.

Montoya M, Uchino BN. Social support and telomere length: a meta-analysis. *J Behav Med*. 2023 Jan 9. doi: 10.1007/s10865-022-00389-0. Epub ahead of print. PMID: 36617609.

Mulrow CD, Aguilar C, Endicott JE, Tuley MR, Velez R, Charlip WS, Rhodes MC, Hill JA, DeNino LA. Quality-of-life changes and hearing impairment. A randomized trial. *Ann Intern Med*. 1990 Aug 1;113(3):188-94. doi: 10.7326/0003-4819-113-3-188. PMID: 2197909.

National Academies of Sciences, Engineering, and Medicine. 2020. Social Isolation and Loneliness in Older Adults: Opportunities for the Health Care System. Washington, DC: The National Academies Press. <https://doi.org/10.17226/25663>.

Porta M, ed. *A Dictionary of Epidemiology*, 6th edition. Oxford University Press, 2014.

Rico-Uribe LA, Caballero FF, Martín-María N, Cabello M, Ayuso-Mateos JL, Miret M. Association of loneliness with all-cause mortality: A meta-analysis. *PLoS One*. 2018 Jan 4;13(1):e0190033. doi: 10.1371/journal.pone.0190033. PMID: 29300743; PMCID: PMC5754055.

Rutherford BR, Brewster K, Golub JS, Kim AH, Roose SP. Sensation and Psychiatry: Linking Age-Related Hearing Loss to Late-Life Depression and Cognitive Decline. *Am J Psychiatry*. 2018 Mar 1;175(3):215-224. doi: 10.1176/appi.ajp.2017.17040423. Epub 2017 Dec 5. PMID: 29202654; PMCID: PMC5849471.

Saito H, Nishiwaki Y, Michikawa T, Kikuchi Y, Mizutari K, Takebayashi T, Ogawa K. Hearing handicap predicts the development of depressive symptoms after 3 years in older community-dwelling Japanese. *J Am Geriatr Soc*. 2010 Jan;58(1):93-7. doi: 10.1111/j.1532-5415.2009.02615.x. Epub 2009 Dec 9. PMID: 20002512.

Shoham N, Lewis G, Favarato G, Cooper C. Prevalence of anxiety disorders and symptoms in people with hearing impairment: a systematic review. *Soc Psychiatry Psychiatr Epidemiol*. 2019 Jun;54(6):649-660. doi: 10.1007/s00127-018-1638-3. Epub 2018 Dec 13. PMID: 30547211.

Shukla A, Harper M, Pedersen E, et al. Hearing Loss, Loneliness, and Social Isolation: A Systematic Review. *Otolaryngol Head Neck Surg.* 2020 May;162(5):622-633. doi: 10.1177/0194599820910377. Epub 2020 Mar 10. PMID: 32151193; PMCID: PMC8292986.

Smith KJ, Gavey S, Riddell NE, Kontari P, Victor C. The association between loneliness, social isolation and inflammation: A systematic review and meta-analysis. *Neurosci Biobehav Rev.* 2020 May;112:519-541. doi: 10.1016/j.neubiorev.2020.02.002. Epub 2020 Feb 21. PMID: 32092313.

Surkalim DL, Luo M, Eres R, et al. The prevalence of loneliness across 113 countries: systematic review and meta-analysis. *BMJ.* 2022 Feb 9;376:e067068. doi: 10.1136/bmj-2021-067068. PMID: 35140066; PMCID: PMC8826180.

Valtorta NK, Kanaan M, Gilbody S, Hanratty B. Loneliness, social isolation and social relationships: what are we measuring? A novel framework for classifying and comparing tools. *BMJ Open.* 2016 Apr 18;6(4):e010799. doi: 10.1136/bmjopen-2015-010799. PMID: 27091822; PMCID: PMC4838704.

Wallhagen MI, Strawbridge WJ, Kaplan GA. 6-year impact of hearing impairment on psychosocial and physiologic functioning. *Nurse Pract.* 1996 Sep;21(9):11-4. PMID: 8884790.

Weinstein BE, Ventry IM. Hearing impairment and social isolation in the elderly. *J Speech Hear Res.* 1982 Dec;25(4):593-9. doi: 10.1044/jshr.2504.593. PMID: 7162161.