

Picou & Ricketts Journal Club May 2024 References

- Bennett, R. J., Saulsman, L., Eikelboom, R. H., & Olaithe, M. (2022). Coping with the social challenges and emotional distress associated with hearing loss: a qualitative investigation using Leventhal's self-regulation theory. *International Journal of Audiology*, 61(5), 353-364. <https://doi.org/10.1080/14992027.2021.1933620>
- Bentler, R. A., Niebuhr, D. P., Johnson, T. A., & Flamme, G. A. (2003). Impact of digital labeling on outcome measures. *Ear and Hearing*, 24(3), 215-224. <https://doi.org/10.1097/01.AUD.0000069228.46916.92>
- Busch, T., Vanpoucke, F., & van Wieringen, A. (2017). Auditory environment across the life span of cochlear implant users: Insights from data logging. *Journal of Speech, Language, and Hearing Research*, 60(5), 1362-1377. https://doi.org/10.1044/2016_JSLHR-H-16-0162
- Contrera, K. J., Betz, J., Deal, J. A., Choi, J. S., Ayonayon, H. N., Harris, T., Helzner, E., Martin, K. R., Mehta, K., & Pratt, S. (2016). Association of Hearing Impairment and Emotional Vitality in Older Adults. *The Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, gbw005.
- Cruikshanks, K. J., Tweed, T. S., Wiley, T. L., Klein, B. E., Klein, R., Chappell, R., Nondahl, D. M., & Dalton, D. S. (2003). The 5-year incidence and progression of hearing loss: the epidemiology of hearing loss study. *Archives of Otolaryngology-Head & Neck Surgery*, 129(10), 1041-1046. <https://doi.org/10.1001/archotol.129.10.1041>
- Dawes, P., Hopkins, R., & Munro, K. J. (2013). Placebo effects in hearing-aid trials are reliable. *International Journal of Audiology*, 52(7), 472-477.
- Dawes, P., Maslin, M., & Munro, K. J. (2014). 'Getting used to' hearing aids from the perspective of adult hearing-aid users. *International Journal of Audiology*, 53(12), 861-870. <https://doi.org/10.3109/14992027.2014.938782>
- Dillon, H., Day, J., Bant, S., & Munro, K. J. (2020). Adoption, use and non-use of hearing aids: a robust estimate based on Welsh national survey statistics. *International Journal of Audiology*, 59(8), 567-573. <https://doi.org/10.1080/14992027.2020.1773550>
- Eberhardt, M. S., & Pamuk, E. R. (2004). The importance of place of residence: examining health in rural and nonrural areas. *American journal of public health*, 94(10), 1682-1686.
- EHIMA. (2018-2022). *EuroTrak Country Market Surveys*. www.ehima.com/surveys
- Haggerty, J. L., Roberge, D., Lévesque, J.-F., Gauthier, J., & Loignon, C. (2014). An exploration of rural-urban differences in healthcare-seeking trajectories: Implications for measures of accessibility. *Health & place*, 28, 92-98. <https://doi.org/10.1016/j.healthplace.2014.03.005>
- Hale, J. M., Schneider, D. C., Mehta, N. K., & Myrskylä, M. (2020). Cognitive impairment in the US: Lifetime risk, age at onset, and years impaired. *SSM-population health*, 11, 100577.

- Hanson, R., Shapiro, S., Hutton-Thamm, E., Hagerty, M. R., & Sullivan, K. P. (2023). Learning to learn from positive experiences. *The Journal of Positive Psychology, 18*(1), 142-153. <https://doi.org/10.1080/17439760.2021.2006759>
- Heffernan, E., Coulson, N. S., Henshaw, H., Barry, J. G., & Ferguson, M. A. (2016). Understanding the psychosocial experiences of adults with mild-moderate hearing loss: An application of Leventhal's self-regulatory model. *International Journal of Audiology, 55*(sup3), S3-S12.
- Holman, J. A., Ali, Y. H., & Naylor, G. (2023). A qualitative investigation of the hearing and hearing-aid related emotional States experienced by adults with hearing loss. *International Journal of Audiology, 62*(10), 973-982. <https://doi.org/10.1080/14992027.2022.2111373>
- Jayakody, D. M., Almeida, O. P., Speelman, C. P., Bennett, R. J., Moyle, T. C., Yiannos, J. M., & Friedland, P. L. (2018). Association between speech and high-frequency hearing loss and depression, anxiety and stress in older adults. *Maturitas, 110*, 86-91. <https://doi.org/10.1016/j.maturitas.2018.02.002>
- Jiang, F., Mishra, S. R., Shrestha, N., Ozaki, A., Virani, S. S., Bright, T., Kuper, H., Zhou, C., & Zhu, D. (2023). Association between hearing aid use and all-cause and cause-specific dementia: an analysis of the UK Biobank cohort. *The Lancet Public Health, 8*(5), e329-e338. [https://doi.org/10.1016/S2468-2667\(23\)00048-8](https://doi.org/10.1016/S2468-2667(23)00048-8)
- Jorgensen, E., Xu, J., Chipara, O., Oleson, J., Galster, J., & Wu, Y.-H. (2023). Auditory environments and hearing aid feature activation among younger and older listeners in an urban and rural area. *Ear and Hearing, 44*(3), 603-618. <https://doi.org/10.1097/AUD.0000000000001308>
- Klein, K. E., Wu, Y.-H., Stangl, E., & Bentler, R. A. (2018). Using a digital language processor to quantify the auditory environment and the effect of hearing aids for adults with hearing loss. *Journal of the American Academy of Audiology, 29*(04), 279-291. <https://doi.org/10.3766/jaaa.16114>
- Lawrence, B. J., Jayakody, D. M., Bennett, R. J., Eikelboom, R. H., Gasson, N., & Friedland, P. L. (2020). Hearing loss and depression in older adults: a systematic review and meta-analysis. *The Gerontologist, 60*(3), e137-e154. <https://doi.org/10.1093/geront/gnz009>
- Lelic, D., Parker, D., Herrlin, P., Wolters, F., & Smeds, K. (2023). Focusing on positive listening experiences improves hearing aid outcomes in experienced hearing aid users. *International Journal of Audiology, 1-11*. <https://doi.org/10.1080/14992027.2023.2190006>
- Lin, F. R., Pike, J. R., Albert, M. S., Arnold, M., Burgard, S., Chisolm, T., Couper, D., Deal, J. A., Goman, A. M., & Glynn, N. W. (2023). Hearing intervention versus health education control to reduce cognitive decline in older adults with hearing loss in the USA (ACHIEVE): a multicentre, randomised controlled trial. *The Lancet, 402*(10404), 786-797. [https://doi.org/10.1016/S0140-6736\(23\)01406-X](https://doi.org/10.1016/S0140-6736(23)01406-X)
- Lin, F. R., Thorpe, R., Gordon-Salant, S., & Ferrucci, L. (2011). Hearing loss prevalence and risk factors among older adults in the United States. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences, 66*(5), 582-590. <https://doi.org/10.1093/gerona/glr002>

- Mothemela, B., Manchaiah, V., Mahomed-Asmail, F., Graham, M., & Swanepoel, D. W. (2023). Factors Associated With Hearing Aid Outcomes Including Social Networks, Self-Reported Mental Health, and Service Delivery Models. *American Journal of Audiology*, 32(4), 823-831. https://doi.org/10.1044/2023_AJA-22-00206
- Rakita, L., Goy, H., & Singh, G. (2022). Descriptions of hearing aids influence the experience of listening to hearing aids. *Ear and Hearing*, 43(3), 785-793.
- Rozin, P., & Royzman, E. B. (2001). Negativity bias, negativity dominance, and contagion. *Personality and social psychology review*, 5(4), 296-320. https://doi.org/10.1207/S15327957PSPR0504_2
- Ruusuvuori, J. E., Aaltonen, T., Koskela, I., Ranta, J., Lonka, E., Salmenlinna, I., & Laakso, M. (2021). Studies on stigma regarding hearing impairment and hearing aid use among adults of working age: a scoping review. *Disability and rehabilitation*, 43, 436-446. <https://doi.org/10.1080/09638288.2019.1622798>
- Smeds, K., Wolters, F., & Rung, M. (2015). Estimation of signal-to-noise ratios in realistic sound scenarios. *Journal of the American Academy of Audiology*, 26(2), 183-196.
- Tawdrous, M., D'Onofrio, K., Buono, G. H., Gifford, R., & Picou, E. M. (2022). Emotional responses to non-speech sounds for hearing-aid and bimodal cochlear-implant listeners. *Trends in Hearing*, 26, 1-17. <https://doi.org/10.1177/23312165221083091>
- Wallhagen, M. I. (2010). The stigma of hearing loss. *The Gerontologist*, 50(1), 66-75. <https://doi.org/10.1093/geront/gnp107>
- Wu, Y.-H., Stangl, E., Chipara, O., Hasan, S. S., Welhaven, A., & Oleson, J. (2018). Characteristics of real-world signal to noise ratios and speech listening situations of older adults with mild to moderate hearing loss. *Ear and Hearing*, 39(2), 293 - 304. <https://doi.org/10.1097/AUD.0000000000000486>