

UHL/SSD in Children

References

- Acke, F.R.E., Van Hoecke, H., De Leenheer, E.M.R. (2021). Congenital unilateral hearing loss: characteristics and etiological analysis in 121 patients. *Otol. Neurotol.*, 42, 1375–1381.
- Anne, S., Lieu, J.E.C., Cohen, M.S. (2017). Speech and language consequences of unilateral hearing loss: A systematic review. *Otolaryngol. Head Neck Surg.*, 157, 572–579.
- Arndt, S., Findeis, L., Wesarg, T., et al. (2023). Long-Term Outcome of Cochlear Implantation in Children With Congenital, Perilingual, and Postlingual Single-Sided Deafness. *Ear Hear.*
- Arndt, S., Prosse, S., Laszig, R., et al. (2015). Cochlear implantation in children with single-sided deafness: does aetiology and duration of deafness matter? *Audiol Neurotol*, 20 Suppl 1, 21–30.
- Arras, T., Boudewyns, A., Dhooge, I., et al. (2021). Assessment of Receptive and Expressive Language Skills Among Young Children With Prelingual Single-Sided Deafness Managed With Early Cochlear Implantation. *JAMA Netw. Open*, 4, e2122591.
- Arras, T., Boudewyns, A., Dhooge, I., et al. (2023). Early cochlear implantation supports narrative skills of children with prelingual single-sided deafness. *Sci. Rep.*, 13, 17828.
- Arras, T., Boudewyns, A., Swinnen, F., et al. (2022). Longitudinal auditory data of children with prelingual single-sided deafness managed with early cochlear implantation. *Sci. Rep.*, 12, 9376.
- Bagatto, M., DesGeorges, J., King, A., et al. (2019). Consensus practice parameter: audiological assessment and management of unilateral hearing loss in children. *Int. J. Audiol.*, 58, 805–815.
- Bagatto, M. (2020). Audiological considerations for managing mild bilateral or unilateral hearing loss in infants and young children. *Lang. Speech Hear. Serv. Sch.*, 51, 68–73.
- Bakkum, K.H.E., Teunissen, E.M., Janssen, A.M., et al. (2022). Subjective fatigue in children with unaided and aided unilateral hearing loss. *Laryngoscope*.
- Beck, R.L., Aschendorff, A., Hassepaß, F., et al. (2017). Cochlear implantation in children with congenital unilateral deafness: A case series. *Otol. Neurotol.*, 38, e570–e576.
- Bell, R., Mouzourakis, M., Wise, S.R. (2022). Impact of unilateral hearing loss in early development. *Curr. Opin. Otolaryngol. Head Neck Surg.*
- Benchetrit, L., Ronner, E.A., Anne, S., et al. (2021). Cochlear Implantation in Children With Single-Sided Deafness: A Systematic Review and Meta-analysis. *JAMA Otolaryngol. Head Neck Surg.*, 147, 58–69.
- Bess, F.H., Davis, H., Camarata, S., et al. (2020). Listening-Related Fatigue in Children With Unilateral Hearing Loss. *Lang. Speech Hear. Serv. Sch.*, 51, 84–97.
- Bess, F.H., Tharpe, A.M. (1986). An introduction to unilateral sensorineural hearing loss in children. *Ear Hear.*, 7, 3–13.
- Bess, F.H., Tharpe, A.M. (1984). Unilateral hearing impairment in children. *Pediatrics*, 74, 206–216.

- Brown, K.D., Dillon, M.T., Park, L.R. (2022). Benefits of cochlear implantation in childhood unilateral hearing loss (CUHL trial). *Laryngoscope*, 132 Suppl 6, S1–S18.
- Calmels, M.-N., Gallois, Y., Marx, M., et al. (2022). Functional Reorganization of the Central Auditory System in Children with Single-Sided Deafness: A Protocol Using fNIRS. *Brain Sci.*, 12.
- Carpenter, D., Dougherty, W., Sindhar, S., et al. (2022). Are children with unilateral hearing loss more tired? *Int. J. Pediatr. Otorhinolaryngol.*, 155, 111075.
- Corbin, N.E., Buss, E., Leibold, L.J. (2021). Spatial hearing and functional auditory skills in children with unilateral hearing loss. *J. Speech Lang. Hear. Res.*, 64, 4495–4512.
- Corbin, N.E., Buss, E., Leibold, L.J. (2017). Spatial release from masking in children: effects of simulated unilateral hearing loss. *Ear Hear.*, 38, 223–235.
- Culbertson, J.L., Gilbert, L.E. (1986). Children with unilateral sensorineural hearing loss: cognitive, academic, and social development. *Ear Hear.*, 7, 38–42.
- Cushing, S.L., Purcell, P.L., Papaionnou, V., et al. (2022). Hearing Instability in Children with Congenital Cytomegalovirus: Evidence and Neural Consequences. *Laryngoscope*, 132 Suppl 11, S1–S24.
- Deep, N.L., Gordon, S.A., Shapiro, W.H., et al. (2021). Cochlear Implantation in Children with Single-Sided Deafness. *Laryngoscope*, 131, E271–E277.
- Dewyer, N.A., Smith, S., Herrmann, B., et al. (2022). Pediatric Single-Sided Deafness: A Review of Prevalence, Radiologic Findings, and Cochlear Implant Candidacy. *Ann. Otol. Rhinol. Laryngol.*, 131, 233–238.
- Ead, B., Hale, S., DeAlwis, D., et al. (2013). Pilot study of cognition in children with unilateral hearing loss. *Int. J. Pediatr. Otorhinolaryngol.*, 77, 1856–1860.
- Ehrmann-Mueller, D., Kurz, A., Kuehn, H., et al. (2020). Usefulness of cochlear implantation in children with single sided deafness. *Int. J. Pediatr. Otorhinolaryngol.*, 130, 109808.
- Fischer, C., Lieu, J. (2014). Unilateral hearing loss is associated with a negative effect on language scores in adolescents. *Int. J. Pediatr. Otorhinolaryngol.*, 78, 1611–1617.
- Fitzpatrick, E.M., Al-Essa, R.S., Whittingham, J., et al. (2017). Characteristics of children with unilateral hearing loss. *Int. J. Audiol.*, 56, 819–828.
- Fitzpatrick, E.M., Durieux-Smith, A., Gaboury, I., et al. (2015). Communication Development in Early-Identified Children With Mild Bilateral and Unilateral Hearing Loss. *Am. J. Audiol.*, 24, 349–353.
- Fitzpatrick, E.M., Gaboury, I., Durieux-Smith, A., et al. (2019). Auditory and language outcomes in children with unilateral hearing loss. *Hear. Res.*, 372, 42–51.
- Fitzpatrick, E.M., Jiawen, W., Janet, O., et al. (2022). Parent-Reported Stress and Child Behavior for 4-Year-Old Children with Unilateral or Mild Bilateral Hearing Loss. *J. Deaf Stud. Deaf Educ.*, 27, 137–150.
- Ganek, H.V., Cushing, S.L., Papsin, B.C., et al. (2020). Cochlear Implant Use Remains Consistent Over Time in Children With Single-Sided Deafness. *Ear Hear.*, 41, 678–685.
- Garcia-Matte, R.J., O’Neil, L.M., Chase, C., et al. (2024). Long-Term Cochlear Implant Sound Processor Usage in Children with Single-Sided Deafness. *Otol. Neurotol.*, 45, 392–397.

- Gordon, K.A., Alemu, R., Papsin, B.C., et al. (2023). Effects of Age at Implantation on Outcomes of Cochlear Implantation in Children with Short Durations of Single-Sided Deafness. *Otol. Neurotol.*
- Griffin, A.M., Atri, A., Licameli, G., et al. (2022). Effect of Hearing Device Use on Speech-in-Noise Performance in Children with Severe-to-Profound Unilateral Hearing Loss. *Ear Hear.*
- Griffin, A.M., Poissant, S.F., Freyman, R.L. (2020). Auditory Comprehension in School-Aged Children With Normal Hearing and With Unilateral Hearing Loss. *Lang. Speech Hear. Serv. Sch.*, 51, 29–41.
- Griffin, A.M., Poissant, S.F., Freyman, R.L. (2019). Speech-in-Noise and Quality-of-Life Measures in School-Aged Children With Normal Hearing and With Unilateral Hearing Loss. *Ear Hear.*, 40, 887–904.
- Hicks, K.B., Park, L.R., Brown, K.D., et al. (2023). Long-Term Perceived Benefit of Pediatric Cochlear Implant Users with Unilateral Hearing Loss. *Laryngoscope*.
- Humes, L.E., Allen, S.K., Bess, F.H. (1980). Horizontal sound localization skills of unilaterally hearing-impaired children. *Audiology*, 19, 508–518.
- Huttunen, K., Erixon, E., Löfkvist, U., et al. (2019). The impact of permanent early-onset unilateral hearing impairment in children - A systematic review. *Int. J. Pediatr. Otorhinolaryngol.*, 120, 173–183.
- Jung, M.E., Colletta, M., Coalson, R., et al. (2017). Differences in interregional brain connectivity in children with unilateral hearing loss. *Laryngoscope*, 127, 2636–2645.
- Kral, A., Hubka, P., Heid, S., et al. (2013). Single-sided deafness leads to unilateral aural preference within an early sensitive period. *Brain*, 136, 180–193.
- Lee, C.-Y., Lin, P.-H., Chiang, Y.-T., et al. (2023). Genetic underpinnings and audiological characteristics in children with unilateral sensorineural hearing loss. *Otolaryngol. Head Neck Surg.*
- Lee, H.-J., Smieja, D., Polonenko, M.J., et al. (2020). Consistent and chronic cochlear implant use partially reverses cortical effects of single sided deafness in children. *Sci. Rep.*, 10, 21526.
- Lewis, D., Schmid, K., O’Leary, S., et al. (2016). Effects of noise on speech recognition and listening effort in children with normal hearing and children with mild bilateral or unilateral hearing loss. *J. Speech Lang. Hear. Res.*, 59, 1218–1232.
- Lieu, J.E.C., Karzon, R.K., Ead, B., et al. (2013). Do audiologic characteristics predict outcomes in children with unilateral hearing loss? *Otol. Neurotol.*, 34, 1703–1710.
- Lieu, J.E.C., Tye-Murray, N., Fu, Q. (2012). Longitudinal study of children with unilateral hearing loss. *Laryngoscope*, 122, 2088–2095.
- Lieu, J.E.C., Tye-Murray, N., Karzon, R.K., et al. (2010). Unilateral hearing loss is associated with worse speech-language scores in children. *Pediatrics*, 125, e1348-55.
- Lieu, J.E.C. (2018). Permanent unilateral hearing loss (UHL) and childhood development. *Curr. Otorhinolaryngol. Rep.*, 6, 74–81.
- Lieu, J.E.C. (2004). Speech-language and educational consequences of unilateral hearing loss in children. *Arch. Otolaryngol. Head Neck Surg.*, 130, 524–530.

- Lieu, J.E.C. (2013). Unilateral hearing loss in children: speech-language and school performance. *B-ENT*, Suppl 21, 107–115.
- McSweeney, C., Cushing, S.L., Campos, J.L., et al. (2021). Functional consequences of poor binaural hearing in development: evidence from children with unilateral hearing loss and children receiving bilateral cochlear implants. *Trends Hear.*, 25, 23312165211051216.
- Muck, S., Magele, A., Wirthner, B., et al. (2023). Effects of Auditory Training on Speech Recognition in Children with Single-Sided Deafness and Cochlea Implants Using a Direct Streaming Device: A Pilot Study. *J. Pers. Med.*, 13.
- Nassrallah, F., Tang, K., Whittingham, J., et al. (2020). Auditory, social, and behavioral skills of children with unilateral/mild hearing loss. *J. Deaf Stud. Deaf Educ.*, 25, 167–177.
- Newton, V.E. (1983). Sound localisation in children with a severe unilateral hearing loss. *Audiology*, 22, 189–198.
- Niedzielski, A., Humeniuk, E., Błaziak, P., et al. (2006). Intellectual efficiency of children with unilateral hearing loss. *Int. J. Pediatr. Otorhinolaryngol.*, 70, 1529–1532.
- Park, L.R., Dillon, M.T., Buss, E., et al. (2021a). Spatial Release From Masking in Pediatric Cochlear Implant Recipients With Single-Sided Deafness. *Am. J. Audiol.*, 30, 443–451.
- Park, L.R., Dillon, M.T., Buss, E., et al. (2023a). Two-Year Outcomes of Cochlear Implant Use for Children With Unilateral Hearing Loss: Benefits and Comparison to Children With Normal Hearing. *Ear Hear.*
- Park, L.R., Gagnon, E.B., Dillon, M.T. (2023b). Factors that influence outcomes and device use for pediatric cochlear implant recipients with unilateral hearing loss. *Front. Hum. Neurosci.*, 17, 1141065.
- Park, L.R., Griffin, A.M., Sladen, D.P., et al. (2022). American Cochlear Implant Alliance Task Force Guidelines for Clinical Assessment and Management of Cochlear Implantation in Children With Single-Sided Deafness. *Ear Hear.*, 43, 255–267.
- Park, L.R., Preston, E., Noxon, A.S., et al. (2021b). Comparison of test methods to assess the implanted ear alone for pediatric cochlear implant recipients with single-sided deafness. *Cochlear Implants Int.*, 22, 283–290.
- Patro, A., Holder, J.T., Brown, C.L., et al. (2023). Cochlear Implantation in Very Young Children With Single-Sided Deafness. *Otolaryngol. Head Neck Surg.*, 169, 1615–1623.
- Polonenko, M.J., Papsin, B.C., Gordon, K.A. (2017). Children With Single-Sided Deafness Use Their Cochlear Implant. *Ear Hear.*, 38, 681–689.
- Polonenko, M.J., Papsin, B.C., Gordon, K.A. (2018). Limiting asymmetric hearing improves benefits of bilateral hearing in children using cochlear implants. *Sci. Rep.*, 8, 13201.
- Propst, E.J., Greinwald, J.H., Schmithorst, V. (2010). Neuroanatomic differences in children with unilateral sensorineural hearing loss detected using functional magnetic resonance imaging. *Arch. Otolaryngol. Head Neck Surg.*, 136, 22–26.
- Purcell, P.L., Shinn, J.R., Davis, G.E., et al. (2016). Children with unilateral hearing loss may have lower intelligence quotient scores: A meta-analysis. *Laryngoscope*, 126, 746–754.
- Ramos Macías, Á., Borkoski-Barreiro, S.A., Falcón González, J.C., et al. (2019). Single-sided deafness and cochlear implantation in congenital and acquired hearing loss in children. *Clin. Otolaryngol.*, 44, 138–143.

- Rauch, A.-K., Arndt, S., Aschendorff, A., et al. (2021). Long-term results of cochlear implantation in children with congenital single-sided deafness. *Eur Arch Otorhinolaryngol*, 278, 3245–3255.
- Reeder, R.M., Cadieux, J., Firszt, J.B. (2015). Quantification of speech-in-noise and sound localisation abilities in children with unilateral hearing loss and comparison to normal hearing peers. *Audiol Neurotol*, 20 Suppl 1, 31–37.
- Sangen, A., Royackers, L., Desloovere, C., et al. (2017). Single-sided deafness affects language and auditory development - a case-control study. *Clin. Otolaryngol.*, 42, 979–987.
- Schmithorst, V.J., Plante, E., Holland, S. (2014). Unilateral deafness in children affects development of multi-modal modulation and default mode networks. *Front. Hum. Neurosci.*, 8, 164.
- Sharma, A., Dorman, M.F., Spahr, A.J. (2002). A sensitive period for the development of the central auditory system in children with cochlear implants: implications for age of implantation. *Ear Hear.*, 23, 532–539.
- Sharma, A., Glick, H., Campbell, J., et al. (2016). Cortical Plasticity and Reorganization in Pediatric Single-sided Deafness Pre- and Postcochlear Implantation: A Case Study. *Otol. Neurotol.*, 37, e26-34.
- Sindhar, S., Friesen, T.L., Carpenter, D., et al. (2021). Fatigue in children with unilateral and bilateral hearing loss. *Otol. Neurotol.*, 42, e1301–e1307.
- Sladen, D.P., Carlson, M.L., Dowling, B.P., et al. (2017). Early outcomes after cochlear implantation for adults and children with unilateral hearing loss. *Laryngoscope*, 127, 1683–1688.
- Thomas, J.P., Neumann, K., Dazert, S., et al. (2017). Cochlear Implantation in Children With Congenital Single-Sided Deafness. *Otol. Neurotol.*, 38, 496–503.
- Tibbetts, K., Ead, B., Umansky, A., et al. (2011). Interregional brain interactions in children with unilateral hearing loss. *Otolaryngol. Head Neck Surg.*, 144, 602–611.
- Walker, E.A. (2020). Evidence-Based Practices and Outcomes for Children with Mild and Unilateral Hearing Loss. *Lang. Speech Hear. Serv. Sch.*, 51, 1–4.
- Ward, K.M., Coughran, A.J., Lee, M., et al. (2023). Prevalence of Cochlear Nerve Deficiency and Hearing Device Use in Children With Single-Sided Deafness. *Otolaryngol. Head Neck Surg.*
- van Wieringen, A., Boudewyns, A., Sangen, A., et al. (2019). Unilateral congenital hearing loss in children: Challenges and potentials. *Hear. Res.*, 372, 29–41.
- Yang, F., Zheng, Y., Li, G. (2020). Early prelingual auditory development of infants and toddlers with unilateral hearing loss. *Otol. Neurotol.*, 41, 654–650.
- Zeitler, D.M., Dunn, C., Schwartz, S.R., et al. (2023). Health-Related Quality of Life in Children With Unilateral Sensorineural Hearing Loss Following Cochlear Implantation. *Otolaryngol. Head Neck Surg.*
- Zeitler, D.M., Sladen, D.P., DeJong, M.D., et al. (2019). Cochlear implantation for single-sided deafness in children and adolescents. *Int. J. Pediatr. Otorhinolaryngol.*, 118, 128–133.
- Zhang, Y., Mao, Z., Feng, S., et al. (2018). Altered functional networks in long-term unilateral hearing loss: A connectome analysis. *Brain Behav.*, 8, e00912.

Zhan, K.Y., Findlen, U.M., Allen, D.Z., et al. (2020). Therapeutic challenges and clinical characteristics of single-sided deafness in children. *Int. J. Pediatr. Otorhinolaryngol.*, 135, 110116.