

References:

Vestibular Function in Patients with Traumatic Brain Injury, presented in partnership with Vanderbilt University

Presenter: Daniel Romero, AuD, PhD

- CDC – National Center for Health Statistics – Homepage.
<https://www.cdc.gov/traumatic-brain-injury/index.html>. October 22, 2024.
- Christy, J. B., Cochrane, G. D., Almutairi, A., Busetini, C., Swanson, M. W., & Weise, K. K. (2019). Peripheral vestibular and balance function in athletes with and without concussion. *Journal of Neurologic Physical Therapy*, 43(3), 153-159.
- Faul, M., Rutland-Brown, M. M., Frankel, W., Sullivent, E. E., & Sattin, R. W. (2007). Using a cost-benefit analysis to estimate outcomes of a clinical treatment guideline: Testing the brain trauma foundation guidelines for the treatment of severe traumatic brain injury. *J. Trauma*, 63, 1271–1278.
- Humphreys, I., Wood, R. L., Phillips, C. J., & Macey, S. (2013). The costs of traumatic brain injury: A literature review. *Clin. Outcomes Res*, 5, 281–287.
- Mofatteh, M. (2021). Examining the association between traumatic brain injury and headache. *Journal of integrative neuroscience*, 20(4), 1079-1094.
- Gralapp, 2024. <https://otosurgeryatlas.stanford.edu/otologic-surgery-atlas/surgical-anatomy-of-the-ear-vestibular-system/>
- Rodriguez, A. I., Chiao, J., & Spencer, G. (2022). Vestibular-Evoked Myogenic Potential Outcomes Associated with Pediatric Sports-Related Concussion. *The Laryngoscope*, 132(2), 436-442.
- Taylor, R. L., Wise, K. J., Taylor, D., Chaudhary, S., & Thorne, P. R. (2022). Patterns of vestibular dysfunction in chronic traumatic brain injury. *Frontiers in Neurology*, 13, 942349.
- Akin, F. W., Murnane, O. D., Hall, C. D., Riska, K. M., & Sears, J. (2022). Vestibular and balance function in veterans with chronic dizziness associated with mild traumatic brain injury and blast exposure. *Frontiers in Neurology*, 13, 930389.

- Gard, A., Al-Husseini, A., Kornaropoulos, E. N., De Maio, A., Tegner, Y., Björkman-Burtscher, I., ... & Marklund, N. (2022). Post-concussive vestibular dysfunction is related to injury to the inferior vestibular nerve. *Journal of neurotrauma*, 39(11-12), 829-840.
- Chen, G., Zhao, X., Yu, G., Jian, H., Li, Y., & Xu, G. (2019). Otolith dysfunction in recurrent benign paroxysmal positional vertigo after mild traumatic brain injury. *Acta oto-laryngologica*, 139(1), 18-21.
- Feller, J. J., Duff, M. C., Clough, S., Jacobson, G. P., Roberts, R. A., & Romero, D. J. (2024). Evidence of Peripheral Vestibular Impairment Among Adults With Chronic Moderate–Severe Traumatic Brain Injury. *American journal of audiology*, 1-17.
- Šarkiđ, B., Douglas, J. M., Simpson, A., Vasconcelos, A., Scott, B. R., Melitsis, L. M., & Spehar, S. M. (2021). Frequency of peripheral vestibular pathology following traumatic brain injury: a systematic review of literature. *International journal of audiology*, 60(7), 479-494.
- Ernst, A. (2005). Sensory disorders of the auditory and vestibular systems following blunt head trauma. In *IUTAM Symposium on Impact Biomechanics: From Fundamental Insights to Applications* (pp. 213-220). Springer Netherlands.
- Brodsky, J. R., Shoshany, T. N., Lipson, S., & Zhou, G. (2018). Peripheral vestibular disorders in children and adolescents with concussion. *Otolaryngology–Head and Neck Surgery*, 159(2), 365-370.
- Nakul, E., Bartolomei, F., & Lopez, C. (2021). Vestibular-evoked cerebral potentials. *Frontiers in Neurology*, 12, 674100.
- Romero, D. J., Feller, J., Clough, S., Jacobson, G., Roberts, R. A., & Duff, M. (2024). Self-Reported Symptoms of Vertigo and Imbalance Are Prevalent Among Adults With Chronic Moderate–Severe Traumatic Brain Injury: A Preliminary Analysis. *American journal of audiology*, 33(1), 269-274.
- Zhou, G., & Brodsky, J. R. (2015). Objective vestibular testing of children with dizziness and balance complaints following sports-related concussions. *Otolaryngology--Head and Neck Surgery*, 152(6), 1133-1139.

- Calzolari, E., Chepishcheva, M., Smith, R. M., Mahmud, M., Hellyer, P. J., Tahtis, V., ... & Seemungal, B. M. (2021). Vestibular agnosia in traumatic brain injury and its link to imbalance. *Brain*, 144(1), 128-143.
- Takeda, N., Tanaka-Tsuji, M., Sawada, T., Koizuka, I., & Kubo, T. (1995). Clinical investigation of the vestibular cortex. *Acta Oto-Laryngologica*, 115(sup520), 110-112.
- Hadi, Z., Mahmud, M., & Seemungal, B. M. (2024b). Brain mechanisms explaining postural imbalance in traumatic brain injury: a systematic review. *Brain connectivity*, 14(3), 144-177.
- Chiarovano, E., Vidal, P. P., Magnani, C., Lamas, G., Curthoys, I. S., & De Waele, C. (2016). Absence of rotation perception during warm water caloric irrigation in some seniors with postural instability. *Frontiers in Neurology*, 7, 4.
- Seemungal, B. M., Rizzo, V., Gresty, M. A., Rothwell, J. C., & Bronstein, A. M. (2008). Cortical processing in vestibular navigation. *Progress in Brain Research*, 171, 339-346.
- Piker, E. G., Jacobson, G. P., Romero, D., Wang, Y., & Smith, K. (2020). The clinical significance of the failure to perceive vertigo in the postcaloric period despite a robust caloric response. *American Journal of Audiology*, 29(1), 50-58.
- Nagel, S., & Spüler, M. (2019). World's fastest brain-computer interface: combining EEG2Code with deep learning. *PloS one*, 14(9), e0221909.
- Nalwaya, A., Das, K., & Pachori, R. B. (2022). Emotion identification from TQWT-based EEG rhythms. In *AI-Enabled Smart Healthcare Using Biomedical Signals* (pp. 195-216). IGI Global.
- Niedermeyer, E. (2011). *Niedermeyer's electroencephalography: basic principles, clinical applications, and related fields*. Lippincott Williams & Wilkins.
- Cohen, M. X. (2014). *Analyzing neural time series data: theory and practice*. MIT press.