

## **Motion Sickness: Pathophysiology and Clinical Presentation**

Jamie M. Bogle, AuD, PhD

### **REFERENCES**

- Abouzari M, Cheung D, Pham T, et al. 2020. The relationship between vestibular migraine and motion sickness susceptibility. *Otol Neurotol*. 41(8): 1116-1121. doi: 10.1097/MAO.0000000000002705.
- Akdal G, Özçelik P, Balcı B, et al. 2024. One simple question detects motion sickness susceptibility in migraine patients. *Braz J Otorhinolaryngol*. 90(2): 101382. doi: 10.1016/j.bjorl.2023.101382.
- Angelaki DE, Hess BJ. 1995. Lesion of the nodulus and ventral uvula abolish steady-state off-vertical axis otolith response. *J Neurophysiol*. 73(4): 1716-1720. doi: 10.1152/jn.1995.73.4.1716.
- Angelaki DE, Hess BJ. 1994. The cerebellar nodulus and ventral uvula control the torsional vestibulo-ocular reflex. *J Neurophysiol*. 72(3): 1443-1447. doi: 10.1152/jn.1994.72.3.1443.
- Baloh RW. 1997. Neurotology of migraine. *Headache*. 37(10): 615-621. doi: 10.1046/j.1526-4610.1997.3710615.x.
- Bar R, Gil A, Tal D. 2009. Safety of double-dose transdermal scopolamine. *Pharmacotherapy*. 29(9): 1082-1088. doi: 10.1592/phco.29.9.1082.
- Bard P, Woolset CN, et al. 1947. Delimitation of central nervous mechanisms involved in motion sickness. *Fed Proc*. 6(1 Pt 2): 72.
- Bertolini G, Straumann D. 2016. Moving in a moving world: a review on vestibular motion sickness. *Front Neurol*. 7:14. doi: 10.338/fneur.2016.00014.
- Besnard S, Bois J, Hitier M, et al. 2021. Motion sickness lessons from the southern ocean. *Aerosp Med Hum Perform*. 92(9): 720-727. doi: 10.3357/AMHP.5696.2021.
- Bles W. 1998. Coriolis effects and motion sickness modelling. *Brain Res Bull*. 47(5): 543-549. doi: 10.1016/s0361-9230(98)00089-6.
- Boldingh MI, Ljøstad U, Mygland A, Monstad P. 2011. Vestibular sensitivity in vestibular migraine: VEMPs and motion sickness severity. *Cephalalgia*. 31(11): 1211-1219. doi: 10.1177/0333102411409074.
- Bos JE, Willem B. 2006. Rotation direction change hastens motion sickness onset in an optokinetic drum. *Aviat Space Environ Med*. 77(4): 464.
- Brainard A, Gresham C. 2014. Prevention and treatment of motion sickness. *Am Fam Physician*. 90(1): 41-46.
- Buckey Jr JC, Alvarenga DL, MacKenzie TA. 2007. Chlorpheniramine and ephedrine in combination for motion sickness. *J Vestib Res*. 17(5-6): 301-311.
- Buyuklu F, Tarhan E, Ozluoglu L. 2009. Vestibular functions in motion sickness susceptible individuals. *Eur Arch Otorhinolaryngol*. 266(9): 1365-1371. doi: 10.1007/s00405-009-0927-6.

- Chan G, Mochhala SM, Zhao B, Wong J. 2006. A comparison of motion sickness prevalence between seafarers and non-seafarers onboard naval platforms. *Int Marit Health*. 57(1-4): 56-65.
- Cheung BS, Heskin R, Hofer KD. 2003. Failure of cetirizine and fexofenadine to prevent motion sickness. *Ann Pharmacother*. 37(2): 173-177. doi: 10.1177/106002800303700201.
- Cheung BS, Howard IP, Money KE. 1991. Visually-induced sickness in normal and bilaterally labyrinthine-defective subjects. *Aviat Space Environ Med*. 62(6): 527-531.
- Chua KW, Kek TL. 2020. A preliminary study: central vestibular sensitivity affects motion sickness susceptibility through the efficacy of the velocity storage mechanism. *Audiol Res*. 10(2): 21-30. doi: 10.4081/audiore.2020.245.
- Clément G, Reschke MF. 2018. Relationship between motion sickness susceptibility and vestibulo-ocular reflex gain and phase. *J Vestib Res*. 28(3-4): 295-304. doi: 10.3233/VES-180632.
- Cohen H. 2011. Assessment of functional outcomes in patients with vestibular disorders after rehabilitation. *NeuroRehabilitation*. 29(2): 173-178. doi: 10.3233/NRE-2011-0692.
- Cohen H. 2004. Influence of otolith input on bithermal caloric responses: re-analysis of the data of Coats and Smith. *Acta Otolaryngol*. 124(2): 223-224. doi: 10.1080/00016480310015920.
- Cohen H, Cohen B, Raphan T, Waespe W. 1992. Habituation and adaptation of the vestibuloocular reflex: a model of differential control by the vestibulocerebellum. *Exp Brain Res*. 90(3): 526-538. doi: 10.1007/BF00230935.
- Cowings PS, Toscano WB, DeRoshia C, Miller NE. 2000. Promethazine as a motion sickness treatment: impact on human performance and mood states. *Aviat Space Environ Md*. 71(10): 1013-1022.
- Cuomo-Granston A, Drummond PD. 2010. Migraine and motion sickness: what's the link? *Prog Neurobiol*. 91(4): 300-312.
- Curry C, Peterson N, Li R, Stoffregen TA. 2020. Postural precursors of motion sickness in head-mounted displays: drivers and passengers, women and men. *Ergonomics*. 63(12): 1502-1511. doi: 10.1080/00140139.2020.1808713.
- Dai M, Kunin M, Raphan T, Cohen B. 2003. The relation of motion sickness to the spatial-temporal properties of velocity storage. *Exp Brain Res*. 151(2): 173-189. doi: 10.1007/s00221-003-1479-4.
- Dai M, Sofroniou S, Kunin M, et al. 2010. Motion sickness induced by off-vertical axis rotation (OVAR). *Exp Brain Res*. 204(2): 207-222. doi: 10.1007/s00221-010-2305-4.
- DiZio P, Lackner JR. 1991. Motion sickness susceptibility in parabolic flight and velocity storage activity. *Aviat Space Environ Med*. 62(4): 300-307.
- Donohew BE, Griffin MJ. 2004. Motion sickness: effect of the frequency of lateral oscillation. *Aviat Space Environ Med*. 75(8): 649-656.
- Drummond PD. 2005. Triggers of motion sickness in migraine sufferers. *Headache*. 45(6): 653-656. doi: 10.1111/j.1526-4610.2005.05132.x.

Drummond PD. 2002. Motion sickness and migraine: optokinetic stimulation increases scalp tenderness, pain sensitivity in the fingers and photophobia. *Cephalalgia*. 22(2): 117-124. doi: 10.1046/j.1468-2982.2002.00332.x.

Drummond PD, Granston A. 2004. Facial pain increases nausea and headache during motion sickness in migraine sufferers. *Brain*. 127(Pt 3): 526-534. doi: 10.1093/brain/awh061.

Ebenholtz SM, Cohen MM, Linder BJ. 1994. The possible role of nystagmus in motion sickness: a hypothesis. *Aviat Space Environ Med*. 65(11): 1032-1035.

Estrada A, LeDuc PA, Curry IP, et al. 2007. Airsickness prevention in helicopter passengers. *Aviat Space Environ Med*. 78(4): 408-413.

Fowler CG, Dallapiazza M, Hadsell KT. 2020. Vestibular function and motion sickness susceptibility: videonystagmographic evidence from oculomotor and caloric tests. *Am J Audiol*. 29(2): 188-198. doi: 10.1044/2020\_AJA-19-00050.

Fowler CG, Sweet A, Steffel E. 2014. Effects of motion sickness severity on the vestibular-evoked myogenic potentials. *J Am Acad Audiol*. 25(9): 814-822. doi: 10.3766/jaaa.25.9.4.

Gahlinger PM. 1999. Motion sickness. How to help your patients avoid travel travail. *Postgrad Med*. 106(4): 177-184. doi: 10.3810/pgm.1999.10.1.719.

Gedik-Soyuyuce O, Yalinay-Dikman P, Korkut N. 2022. The effect of migraine and motion sickness on symptoms evoked by the caloric vestibular test. *J Vestib Res*. 32(2): 135-144. doi: 10.3233/VES-210046.

Golden JF, Gresty MA. 2015. Pathophysiology and treatment of motion sickness. *Curr Opin Neurol*. 28(1): 83-88. doi: 10.1097/WCO.000000000000163.

Golding JF. 2016. Motion sickness. *Handb Clin Neurol*. 137: 371-390. doi: 10.1016/B978-0-444-5.00027-3.

Golding JF. 2006. Motion sickness susceptibility. *Auton Neurosci*. 129(1-2): 67-76. doi: 10.1016/j.autneu.2006.07.019.

Golding JF. 2006. Predicting individual differences in motion sickness susceptibility by questionnaire. *Personality and Individual Differences*. 41: 237-248. doi: 10.1016/j.paid.2006.01.012

Golding JF. 1998. Motion sickness susceptibility questionnaire revised and its relationship to other forms of sickness. *Brain Res Bull*. 47: 507-516. doi: 10.1016/S0361-9230(98)00091-4

Golding JF, Patel M. 2017. Meniere's, migraine, and motion sickness. *Acta Otolaryngol*. 137(5): 495-502. doi: 10.1080/00016489.2016.1255775.

Golding JF, Kadzere P, Gresty MA. 2005. Motion sickness susceptibility fluctuates through the menstrual cycle. *Aviat Space Environ Med*. 76(10): 970-973.

Gordon CR, Gonen A, Nachum Z, et al. 2001. The effects of dimenhydrinate, cinnarizine and transdermal scopolamine on performance. *J Psychopharmacol*. 15(3): 167-172. doi: 10.1177/026988110101500311.

Graybiel A. 1970. Susceptibility to acute motion sickness in blind persons. *Aerosp Med*. 41(6): 650-653.

Graybiel A. 1963. Significance of vestibular organs in problems of weightlessness. *Life Sci Space Res.* 1: 19-32.

Graybiel A, Knepton J. 1976. Sopite syndrome: a sometimes sole manifestation of motion sickness. *Aviat Space Environ Med.* 47(8): 873-882.

Griffin MJ, Newman MM. 2004. Visual field effects on motion sickness in cars. *Aviat Space Environ Med.* 75(9): 739-748.

Grunfeld E, Gresty MA. 1998. Relationship between motion sickness, migraine and menstruation in crew members of a "round the world" yacht race. *Brain Res Bull.* 47(5): 433-436. doi: 10.1016/s0361-9230(98)00099-9.

Herron DG. 2010. The ups and downs of motion sickness. *Am J Nurs.* 110(12): 49-51. doi: 10.1097/01.NAJ.0000491242.75887.17.

Hromatka BS, Tung JY, Kiefer AK, et al. 2015. Genetic variants associated with motion sickness points to roles for inner ear development, neurological processes and glucose homeostasis. *Hum Mol Genet.* 24(9): 2700-2708. doi: 10.1093/hmg/ddv028.

Javaid A, Chouhna H, Varghese B, et al. 2019. Changes in skin blood flow, respiration and blood pressure in participants reporting motion sickness during sinusoidal galvanic vestibular stimulation. *Exp Physiol.* 104(11): 1622-1629. doi: 10.1113/EP087385.

Joseph JA, Griffin MJ. 2008. Motion sickness: effect of changes in magnitude of combined lateral and roll oscillation. *Aviat Space Environ Med.* 79(11): 1019-1027. doi: 10.3357/asem.2208.2008.

Kaplan J, Ventura J, Bakshi A, et al. 2017. The influence of sleep deprivation and oscillating motion on sleepiness, motion sickness, and cognitive and motor performance. *Auton Neurosci.* 202: 86-96. doi: 10.1016/j.autneu.2016.08.019.

Kennedy RS, Graybiel A, McDonough RC, Beckwith FD. 1968. Symptomatology under storm conditions in the North Atlantic in control subjects and in persons with bilateral labyrinthine defects. *Acta Otolaryngol.* 66(6): 533-540. doi: 10.3109/00016486809126317.

Kitama T, Komagata J, Ozawa K, et al. 2014. Plane-specific Purkinje cell responses to vertical head rotations in the cat cerebellar nodulus and uvula. *J Neurophysiol.* 112(3): 644-659. doi: 10.1152/jn.00029.2014.

Koch A, Cascorbi I, Westhofen M, et al. 2018. The neurophysiology and treatment of motion sickness. *Dtsch Arztebl Int.* 115(41): 687-696. doi: 10.3238/arztebl.2018.0687.

Kohl RL. 1983. Sensory conflict theory of space motion sickness: an anatomical location for the neuroconflict. *Aviat Space Environ Med.* 54(5): 464-465.

Kohl RL, Homick JL, Cintron N, Calkins DS. 1987. Lack of effects of astemizole on vestibular ocular reflex, motion sickness, and cognitive performance in man. *Aviat Space Environ Med.* 58(12): 1171-1174.

Lackner JR. 2014. Motion sickness: more than nausea and vomiting. *Exp Brain Res.* 232(8): 2493-2510. doi: 10.1007/s00221-014-4008-8.

Laessoe U, Abrahamsen S, Zepernick S, Raunsbaek A, Stensen C. 2023. Motion sickness and cybersickness – sensory mismatch. *Physiol Behav.* 258: 114015. doi: 10.1016/j.physbeh.2022.114015.

Lawson BD, Mead AM. 1998. The sopite syndrome revisited: drowsiness and mood changes during real or apparent motion. *Acta Astronaut.* 43(3-6): 181-192. doi: 10.1016/s0094-5765(98)00153-2.

Lawther A, Griffin MJ. 1988. Motion sickness and motion characteristics of vessels at sea. *Ergonomics.* 31(10):1373-1394. doi: 10.1080/00140138808966783.

Mallinson AI, Longridge NS. 2002. Motion sickness and vestibular hypersensitivity. *J Otolaryngol.* 31(6): 381-385. doi: 10.2310/7070.2002.34575.

Marcus DA, Furman JM, Balaban CD. 2005. Motion sickness in migraine sufferers. *Expert Opin Pharmacother.* 6(15): 2691-2697. doi: 10.1517/14656566.6.15.2691.

Matsangas P, McCauley ME. 2014a. Yawning as a behavioral marker of mild motion sickness and sopite syndrome. *Aviat Space Environ Med.* 85(6): 658-661. doi: 10.3357/ase.3897.2014.

Matsangas P, McCauley ME. 2014b. Sopite syndrome: a revised definition. *Aviat Space Environ Med.* 85(6): 672-673. doi: 10.3357/ase.3891.2014.

McIntosh IB. 1998. Motion sickness – questions and answers. *J Travel Med.* 5(2): 89-91. doi: 10.1111/j.1708-8305.1998.tb00470.x.

Menétrey D, Basbaum AI. 1987. Spinal and trigeminal projections to the nucleus of the solitary tract: a possible substrate for somatovisceral and viscerovisceral reflex activation. *J Comp Neurol.* 255(3): 439-450. doi: 10.1002/cne.902550310.

Meng D, Zhou X, Hu T, et al. 2022. Study of clinical correlation of motion sickness in patients with vestibular migraine. *Front Neurosci.* 16: 986860. doi: 10.3389/fnins.2022.986860.

Murdin L, Chamberlain F, Cheema S, et al. 2015. Motion sickness in migraine and vestibular disorders. *J Neurol Neurosurg Psychiatry.* 86(5): 585-587. doi: 10.1136/jnnp-2014-308331.

Murdin L, Golding J, Bronstein A. 2011. Managing motion sickness. *BMJ.* 343: d7430. doi: 10.1136/bmj.d7430.

Murray JB. 1997. Psychophysiological aspects of motion sickness. *Percept Mot Skills.* 85(3 Pt 2): 1163-1167. doi: 10.2466/pms.1997.85.3f.1163.

Nachum Z, Shupak A, Gordon CR. 2006. Transdermal scopolamine for prevention of motion sickness: clinical pharmacokinetics and therapeutic applications. *Clin Pharmacokinet.* 45(6): 543-566. doi: 10.2165/00003088-200645060-00001.

Nicholson AN, Stone BM, Turner C, Mills SL. 2002. Central effects of cinnarizine: restricted use in aircrew. *Aviat Space Environ Med.* 73(6): 570-574.

Paillard AC, Quarck G, Paolino F, et al. 2013. Motion sickness susceptibility in healthy subjects and vestibular patients: effects of gender, age, and trait-anxiety. *J Vestib Res.* 23(4-5): 203-209. doi: 10.3233/VES-130501.

Paul MA, MacLellan M, Gray G. 2005. Motion-sickness medications for aircrew: impact on psychomotor performance. *Aviat Space Environ Med.* 76(6): 560-565.

Paule MG, Chelonis JJ, Blake DJ, Dornhoffer JL. 2004. Effects of drug countermeasures for space motion sickness on working memory in humans. *Neurotoxicol Teratol.* 26(6): 825-837. doi: 10.1016/j.ntt.2004.07.002.

Peddareddygary LR, Kramer PD, Hanna PA, et al. 2019. Genetic analysis of a large family with migraine, vertigo, and motion sickness. *Can J Neurol Sci.* 46(5): 512-517. doi: 10.1017/cjn.2019.64.

Previc FH. 2018. Intravestibular balance and motion sickness. *Aerosp Med Hum Perform.* 89(2): 130-140. doi: 10.3357/AMHP.4946.2018.

Pyykkö I, Manchaiah V, Färkkilä M, et al. 2019. Association between meniere's disease and vestibular migraine. *Auris Nasus Larynx.* 46(5): 724-733. doi: 10.1016/j.anl.2019.02.002.

Raphan T, Cohen B. 2002. The vestibulo-ocular reflex in three dimensions. *Exp Brain Res.* 145(1): 1-27. doi: 10.1007/s00221-002-1067-z.

Raphan T, Cohen B. 1985. Velocity storage and the ocular response to multidimensional vestibular stimuli. *Rev Oculomot Res.* 1: 123-143.

Raphan T, Cohen B, Henn V. 1981. Effects of gravity on rotatory nystagmus in monkeys. *Ann N Y Acad Sci.* 374: 44-55. doi: 10.1111/j.1749-6632.1981.tb30859.x.

Reason JT. 1968. Relations between motion sickness susceptibility, the spiral after-effect and loudness estimation. *Br J Psychol.* 59(4): 385-393. doi: 10.1111/j.2044-8295.1968.tb01153.x.

Reavley CM, Golding JF, Cherkas LF, et al. 2006. Genetic influences on motion sickness susceptibility in adult women: a classical twin study. *Aviat Space Environ Med.* 77(11): 1148-1152.

Robinson DA. 1977. Linear addition of optokinetic and vestibular signals in the vestibular nucleus. *Exp Brain Res.* 30(2-3): 447-450. doi: 10.1007/BF00237269.

Rolnick A, Lubow RE. 1991. Why is the driver rarely motion sick? The role of controllability in motion sickness. *Ergonomics.* 34(7): 867-879. doi: 10.1080/00140139108964831.

Russel MEB, Hoffman B, Stromberg S, Carlson CR. 2014. Use of controlled diaphragmatic breathing for the management of motion sickness in a virtual reality environment. *Appl Psychophysiol Biofeedback.* 39(3-4): 269-277. doi: 10.1007/s10484-014-9265-6.

Salter S, Diels C, Herriotts P, Kanarachos S, Thake D. 2019. Motion sickness in automated vehicles with forward and rearward facing seating orientations. *Appl Ergon.* 78: 54-61. doi: 10.1016/j.apergo.2019.02.001.

Schmäl F. 2013. Neural mechanisms and the treatment of motion sickness. *Pharmacology.* 91(3-4): 229-241. doi: 10.1159/000350185.

Schmidt EA, Kuiper OX, Wolter S, et al. 2020. An international survey on the incidence and modulating factors of carsickness. *Trans Res F.* 71: 76-87. doi: 10.1016/j.trf.2020.03.012.

Schutz L, Zak D, Holmes JF. 2014. Pattern of passenger injury and illness on expedition cruise ships to Antarctica. *J Travel Med.* 21(4): 228-234. doi: 10.1111/jtm.12126.

Sharon JD, Hullar TE. 2014. Motion sensitivity and caloric responsiveness in vestibular migraine and meniere's disease. *Laryngoscope.* 124(4): 969-973. doi: 10.1002/lary.24285.

Simmons RG, Phillips JB, Lojewski RA, et al. 2010. The efficacy of low-dose intranasal scopolamine for motion sickness. *Aviat Space Environ Med.* 81(4): 405-412. doi: 10.3357/ase.2668.2010.

Spinks A, Wasiak J. 2011. Scopolamine (hyoscine) for preventing and treating motion sickness. *Cochrane Database Syst Rev.* 2011(6): CD002851. doi: 10.1002/14651858.CD003962.pub4.

Stern RM, Hu S, Uijtdehaage SH, et al. 1996. Asian hypersusceptibility to motion sickness. *Hum Hered.* 46(1): 7-14. doi: 10.1159/000154318.

Takeda N, Morita M, Horii A, et al. 2001. Neural mechanisms of motion sickness. *J Med Invest.* 48(1-2): 44-59.

Takov V, Tadi P. 2023. Motion sickness. In: *StatPearls [Internet].* Treasure Island, FL: StatPearls Publishing.

Tal D, HersHKovitz D, Kaminski-Graif G, et al. 2013. Vestibular evoked myogenic potentials and habituation to seasickness. *Clin Neurophysiol.* 124(12): 2445-2449. doi: 10.1016/j.clinph.2013.05.016.

Treisman M. 1977. Motion sickness: an evolutionary hypothesis. *Science.* 197(4302): 493-495. doi: 10.1126/science.301659.

Tyler DB, Bard P. 1949. Motion sickness. *Physiol Rev.* 29(4): 311-369. doi: 10.1152/physrev.1949.29.4.311.

Wang J, Lewis RF. 2016. Contribution of intravestibular sensory conflict to motion sickness and dizziness in migraine disorders. *J Neurophysiol.* 116(4): 1586-1591. doi: 10.1152/jn.00345.2016.

Weerts AP, Vanspauwen R, Fransen E, et al. 2014. Space motion sickness countermeasures: a pharmacological double-blind, placebo-controlled study. *Aviat Space Environ Med.* 85(6): 638-644. doi: 10.3357/ase.3865.2014.

Weinstein SE, Stern RM. 1997. Comparison of marezine and dramamine in preventing symptoms of motion sickness. *Aviat Space Environ Med.* 68(10): 890-894.

Wurthmann S, Naegel S, Roesner M, et al. 2021. Sensitized rotatory motion perception and increased susceptibility to motion sickness in vestibular migraine. *Eur J Neurol.* 28(7): 2357-2366. doi: 10.1111/ene.14889.

Yakushin SB, Martinelli GP, Raphan T, Cohen B. 2016. The response of vestibulosympathetic reflex to linear acceleration in the rat. *J Neurophysiol.* 116(6): 2752-2764. doi: 10.1152/jn.00217.2016.

Yen Pik Sang FD, Billar J, Gresty MA, Golding JF. 2005. Effect of a novel motion desensitization training regime and controlled breathing on habituation to motion sickness. *Percept Mot Skills.* 101(1): 244-256. doi: 10.2466/pms.101.1.244-256.

Yen Pik Sang FD, Golding JF, Gresty MA. 2003. Suppression of sickness by controlled breathing during mildly nauseogenic motion. *Aviat Space Environ Med.* 74(9): 998-1002.

Zaleski A, Bogle J, Starling A, et al. 2015. Vestibular evoked myogenic potentials in patients with vestibular migraine. *Otol Neurotol*. 36(2): 295-302. doi: 10.1097/MAO.0000000000000665.

Zhang LL, Wang JQ, Qi RR, et al. 2016. Motion sickness: current knowledge and recent advance. *CNS Neurosci Ther*. 22(1): 15-24. doi: 10.1111/cns.12468.

Zhang X, Sun Y. 2021. The predictive role of ADRA2A rs1800544 and HTR3B rs3758987 polymorphisms in motion sickness susceptibility. *Int J Environ Res Public Health*. 18(24): 13163. doi: 10.3390/ijerph182413163.

Zhang X, Sun Y. 2020. Motion sickness predictors in college students and their first experience sailing at sea. *Aerosp Med Hum Perform*. 91(2): 71-78. doi: 10.3357/AMHP.5386.2020.