

References: Audiological Testing with Adults with Severe to Profound Hearing Loss, in partnership with RIT/National Technical Institute for the Deaf

Presenters: Erin Pickett, AuD, CCC-A/SLP; Vanessa Murphy, AuD, CCC-A

- Ceuleers, D., Keppler, H., Degeest, S., Baudonck, N., Swinnen, F., Kestens, K., Dhooge, I. (2024). Auditory, visual, and cognitive abilities in normal-hearing adults, hearing aid users, and cochlear implant users. *Ear & Hearing, 45*(3), 679-694.
<https://doi.org/10.1097/AUD.0000000000001458>
- Cox, R. M. (1995). Using loudness data for hearing aid selection: the IHAFF approach. *The Hearing Journal, 48*(2), 10, 39-44. <https://doi.org/10.1097/00025572-199502000-00001>
- Cox, R. M., Alexander, G. C., Taylor, I. M., & Gray, G. A. (1997). The contour test of loudness perception. *Ear and Hearing, 18*(5), 388-400.
<https://doi.org/10.1097/00003446-199710000-00004>
- Flynn, M. C., Dowell, R. C., & Clark, G. M. (1998). Aided speech recognition abilities of adults with a severe or severe-to-profound hearing loss. *Journal of Speech, Language, and Hearing Research, 41*(2), 285-299. <https://doi.org/10.1044/jslhr.4102.285>
- Nilsson, M., Soli, S. D., & Sullivan, J. A. (1994). Development of the Hearing in Noise Test for the measurement of speech reception thresholds in quiet and in noise. *The Journal of the Acoustical Society of America, 95*(2), 1085–1099. <https://doi.org/10.1121/1.408469>
- Owens, E., Kessler, D. K., Raggio, M. W., & Schubert, E. D. (1985). Analysis and revision of the minimal auditory capabilities (MAC) battery. *Ear and Hearing, 6*(6), 280-290.
<https://doi.org/10.1097/00003446-198511000-00002>
- Spahr, A., Dorman, M. F., Litvak, L. M., Van Wie, S., Gifford, R. H., Loizou, P. C., Loiselle, L. M., Oakes, T., & Cook, S. (2012). Development and validation of the AzBio sentence lists. *Ear and Hearing, 33*(1), 112-117. <https://doi.org/10.1097/AUD.0b013e31822c2549>
- Turton, L., Souza, P., Thibodeau, L., Hickson, L., Gifford, R., Bird, J., Stropahl, M., Gailey, L.,

Fulton, B., Scarinci, N., Ekberg, K., & Timmer, B. (2020). Guidelines for best practice in the audiological management of adults with severe and profound hearing loss. *Seminars in Hearing*, 41(3), 141-245. <https://doi.org/10.1055/s-0040-1714744>