

References: Inter-Professional Fall Risk Assessment Training for Audiologists & Student Clinicians, in partnership with the American Academy of Audiology

Presenters: Megan Majoué, AuD, Rebecca Callais, DrOT,
Dania Rishiq, PhD, Alison Bevrotte, BA

Ambrose, A. E., Paul, G., & Haudorff, J. M. (2013). Risk factors for falls among older adults: A review of the literature. *Maturitas*, 75, 51–61.

<https://doi.org/10.1016/j.maturitas.2013.02.009>

American Geriatrics Society, British Geriatrics Society. (2011). Summary of the updated American Geriatrics Society/British Geriatrics Society clinical practice guideline for prevention of falls in older persons. *Journal of the American Geriatrics Society*, 59(1), 148–157. <https://doi.org/10.1111/j.1532-5415.2010.03234.x>

Bergen, G., & Shakya, I. (2019). *Evaluation guide for older adult clinical fall prevention programs*. Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. https://www.cdc.gov/steady/pdf/Steady-EvaluationGuide_Final_4_30_19.pdf

Bohl, A. A., Fishman, P. A., Ciol, M. A., Williams, B., Logerfo, J., & Phelan, E. A. (2010). A longitudinal analysis of total 3-year healthcare costs for older adults who experience a fall requiring medical care. *Journal of the American Geriatrics Society*, 58(5), 853–860. <https://doi.org/10.1111/j.1532-5415.2010.02816.x>

Burns, E., & Kakara, R. (2018). Deaths from falls among persons aged ≥65 years—United States, 2007–2016. *MMWR. Morbidity and Mortality Weekly Report*, 67(18), 509–514. <https://doi.org/10.15585/mmwr.mm6718a1>

Campos, L., Prochazka, A., Anderson, M., Kaizer, A., Foster, C., & Hullar, T. (2023). Consistent hearing aid use is associated with lower fall prevalence and risk in older adults with hearing loss. *Journal of the American Geriatrics Society*, 71(10), 3163–3171. <https://doi.org/10.1111/jgs.18461>

Casey, C. M., Parker, E. M., Winkler, G., Liu, X., Lambert, G. H., & Eckstrom, E. (2017). Lessons learned from implementing CDC's STEADI falls prevention algorithm in primary care. *The Gerontologist*, 57(4), 787–796. <https://doi.org/10.1093/geront/gnw074>

Centers for Disease Control and Prevention. (2017). *STEADI: 30-Second Chair Stand Test*. U.S. Department of Health & Human Services. <https://www.cdc.gov/steady/materials.html>

Centers for Disease Control and Prevention. (2017). *STEADI: 4-Stage Balance Test*. U.S. Department of Health & Human Services.
<https://www.cdc.gov/steady/materials.html>

Centers for Disease Control and Prevention. (2017). *STEADI: Timed Up & Go (TUG) Test*. U.S. Department of Health & Human Services.
<https://www.cdc.gov/steady/materials.html>

Centers for Disease Control and Prevention. (2021). *Algorithm for Fall Risk Screening, Assessment, and Intervention*. <https://www.cdc.gov/steady/pdf/STEADI-Algorithm-508.pdf>

Centers for Disease Control and Prevention. (2021). *STEADI—Older Adult Fall Prevention*. National Center for Injury Prevention and Control.
<https://www.cdc.gov/steady>

Centers for Disease Control and Prevention. (2021). *STEADI Our Staff for Fall Prevention*. https://www.cdc.gov/steady/hcp/training/index.html#cdc_training_summary_training-training-slides

Centers for Disease Control and Prevention. (2021). *Web-Based Injury Statistics Query and Reporting System (WISQARS)*. National Center for Injury Prevention and Control.
<https://www.cdc.gov/injury/wisqars>

Centers for Disease Control and Prevention. (2021). *Wide-Ranging On-Line Data for Epidemiologic Research (WONDER)*. <https://wonder.cdc.gov>

Eckstrom, E., Parker, E. M., Lambert, G. H., Winkler, G., Dowler, D., & Casey, C. M. (2017). Implementing STEADI in academic primary care to address older adult fall risk. *Innovation in Aging*, 1(2). <https://doi.org/10.1093/geroni/igx028>

Eckstrom, E., Parker, E. M., Shakya, I., & Lee, R. (2021). *Coordinated care plan to prevent older adult falls*. Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. <https://www.cdc.gov/steady/pdf/Steady-Coordinated-Care-Plan.pdf>

Florence, C. S., Bergen, G., Atherly, A., Burns, E., Stevens, J., & Drake, C. (2018). Medical costs of fatal and nonfatal falls in older adults. *Journal of the American Geriatrics Society*, 66(4), 693–698. <https://doi.org/10.1111/jgs.15304>

Gill, T. M., Murphy, T. E., Gahbauer, E. A., & Allore, H. G. (2013). Association of injurious falls with disability outcomes and nursing home admissions in community-living older persons. *American Journal of Epidemiology*, 178(3), 418–425.
<https://doi.org/10.1093/aje/kws554>

Haddad, Y. K., Karani, M. V., Bergen, G., & Marcum, Z. A. (2019). Willingness to change medications linked to increased fall risk: A comparison between age groups. *Journal of the American Geriatrics Society*, 67(3), 527–533. <https://doi.org/10.1111/jgs.15696>

Hoffman, G. J., Liu, H., Alexander, N. B., Tinetti, M., Braun, T. M., & Min, L. C. (2019). Posthospital fall injuries and 30-day readmissions in adults 65 years and older. *JAMA Network Open*, 2(5), Article e194276. <https://doi.org/10.1001/jamanetworkopen.2019.4276>

Johnston, Y. A., Bergen, G., Bauer, M., Parker, E. M., Wentworth, L., McFadden, M., & et al. (2019). Implementation of the Stopping Elderly Accidents, Deaths, and Injuries Initiative in primary care: An outcome evaluation. *The Gerontologist*, 59(6), 1182–1191. <https://doi.org/10.1093/geront/gny101>

Jones, T. S., Ghosh, T. S., Horn, K., Smith, J., & Vogt, R. L. (2011). Primary care physicians' perceptions and practices regarding fall prevention in adults 65 years and over. *Accident Analysis & Prevention*, 43(5), 1605–1609. <https://doi.org/10.1016/j.aap.2011.03.013>

Lee, R. (2017). The CDC's STEADI initiative: Promoting older adult health and independence through fall prevention. *American Family Physician*, 96(4), 220–221.

Lin, F. R., & Ferrucci, L. (2012). Hearing loss and falls among older adults in the United States. *Archives of Internal Medicine*, 172(4), 369–371. <https://doi.org/10.1001/archinternmed.2011.728>

Moreland, B., Kakara, R., & Henry, A. (2020). Trends in nonfatal falls and fall-related injuries among adults aged ≥65 years—United States, 2012–2018. *MMWR. Morbidity and Mortality Weekly Report*, 69(27), 875–881. <https://doi.org/10.15585/mmwr.mm6927a5>

Ortman, J. M., Velkoff, V. A., & Hogan, H. (2014). *An aging nation: The older population in the United States*. U.S. Census Bureau.

Parkkari, J., Kannus, P., Palvanen, M., Natri, A., Vainio, J., Aho, H., Vuori, K., Jarvinen, M., & Jarvinen, T. (1999). Majority of hip fractures occur as a result of a fall and impact on the greater trochanter of the femur: A prospective controlled hip fracture study with 206 consecutive patients. *Calcified Tissue International*, 65(3), 183–187. <https://doi.org/10.1007/s002239900679>

Rubenstein, L. Z., Vivrette, R., Harker, J. O., Stevens, J. A., & Kramer, B. J. (2011). Validating an evidence-based, self-rated fall risk questionnaire (FRQ) for older adults. *Journal of Safety Research*, 42(6), 493–499. <https://doi.org/10.1016/j.jsr.2011.08.006>

Stevens, J. A., Ballesteros, M. F., Mack, K. A., Rudd, R. A., DeCaro, E., & Adler, G. (2012). Gender differences in seeking care for falls in the aged Medicare population. *American Journal of Preventive Medicine*, 43(1), 59–62.
<https://doi.org/10.1016/j.amepre.2012.03.008>

Stevens, J. A., & Lee, R. (2018). The potential to reduce falls and avert costs by clinically managing fall risk. *American Journal of Preventive Medicine*, 55(3), 290–297.
<https://doi.org/10.1016/j.amepre.2018.04.035>

Stevens, J. A., Noonan, R. K., & Rubenstein, L. Z. (2010). Older adult fall prevention: Perceptions, beliefs and behaviors. *American Journal of Lifestyle Medicine*, 4(1), 16–20.
<https://doi.org/10.1177/1559827609348350>

Taylor, C. A., Bell, J. M., Breiding, M. J., & Xu, L. (2017). Traumatic brain injury–related emergency department visits, hospitalizations, and deaths—United States, 2007 and 2013. *MMWR. Surveillance Summaries*, 66(9), 1–16.
<https://doi.org/10.15585/mmwr.ss6609a1>

Tinetti, M. E., Speechley, M., & Ginter, S. F. (1988). Risk factors for falls among elderly persons living in the community. *New England Journal of Medicine*, 319(26), 1701–1707. <https://doi.org/10.1056/NEJM198812293192604>

Van Rhyn, B., & Barwick, A. (2019). Health practitioners' perceptions of falls and fall prevention in older people: A metasynthesis. *Qualitative Health Research*, 29(1), 69–79.
<https://doi.org/10.1177/1049732318805753>