

References: Unleashing the Power of Test Box and Real-Ear Probe Microphone Measurements, in partnership with Seminars in Hearing

Presenter: Lori Zitelli, AuD; Catherine Palmer, PhD

Aarts NL, Caffee CS. Manufacturer predicted and measured REAR values in adult hearing aid fitting: accuracy and clinical usefulness. *Int J Audiol*. 2005;44(5):293-301. <https://doi.org/10.1080/14992020500057830>

Aazh H, Moore BCJ, Prasher D. The accuracy of matching target insertion gains with open-fit hearing aids. *Am J Audiol*. 2012;21(2):175. [https://doi.org/10.1044/1059-0889\(2012/11-0008\)](https://doi.org/10.1044/1059-0889(2012/11-0008))

Abrams HB, Chisolm TH, McManus M, McArdle R. Initial-fit approach versus verified prescription: Comparing self-perceived hearing aid benefit. *J Am Acad Audiol*. 2012;23(10):768-778. <https://doi.org/10.3766/jaaa.23.10.3>

American National Standards Institute / Acoustical Society of America. (1997). *Methods for Calculation of the Speech Intelligibility Index*. (ANSI/ ASA S3.5–1997).

Amlani, A., Pumford, J., & Gessling E. Improving patient perception of clinical services through real-ear measurements. *Hear Rev*. 2016;23(12):12+. <http://www.hearingreview.com/2016/11/improving-patient-perception-clinical-services-real-ear-measurements/>

Amlani, A., Pumford, J., & Gessling E. Real-ear measurement and its impact on aided audibility and patient loyalty. *Hear Rev*. 2017;24(10):12-21. <http://www.hearingreview.com/2017/09/real-ear-measurement-impact-aided-audibility-patient-loyalty/>

Beck DL. Do real-ear measurements make a real difference to patient outcomes? Available at: www.audiology.org/news/interviews/Pages/20090119a.aspx

Dao A, Folkeard P, Baker S, Pumford J, Scollie S. Fit-to-targets and aided speech intelligibility index values for hearing aids fitted to the DSL v5-adult prescription. *J Am Acad Audiol* 2021;32(02):90–98

Hawkins DB, Cook JA. Hearing aid software predictive gain values. *Hear J*. 2003;56(7):26. <https://doi.org/10.1097/01.HJ.0000292552.60032.8b>

Jorgensen L, Barrett R, Jedlicka D, Messersmith J, Pratt S. Real-ear-to-coupler difference: physical and perceptual differences. *Am J Audiol* 2022;31 (04):1088–1097.

Keidser G, Dillon H, Flax M, Ching T, Brewer S. The NAL-NL2 prescription procedure. *Audiol Res.* 2011;1(1):88-90.

Kochkin S. MarkeTrak VIII: Reducing patient visits through verification & validation. 2011. [http://www.betterhearing.org/sites/default/files/hearingpedia-resources/MarkeTrak VIII Reducing patient visits through verification and validation.pdf](http://www.betterhearing.org/sites/default/files/hearingpedia-resources/MarkeTrak%20VIII%20Reducing%20patient%20visits%20through%20verification%20and%20validation.pdf). Accessed December 31, 2018.

Kochkin S, Beck DL, Christensen LA, Compton-Conley C, Fligor BJ, Kricos PB, McSpaden JB, Mueller HG, Nilsson MJ, Northern JL, Powers TA, Sweetow RW, Taylor B, Turner R. MarkeTrack VIII: the impact of the hearing healthcare professional on hearing aid user success. *Hear Rev.* 2010;17:12-34.

Leavitt R, Flexer C. The importance of audibility in successful amplification of hearing loss. *Hear Rev.* 2012;(Dec 1, 2012). <https://www.hearingreview.com/practice-building/practice-management/continuing-education/the-importance-of-audibility-in-successful-amplification-of-hearing-loss>. Accessed April 28, 2021.

Mueller HG (2014, January). 20Q: Real-ear probe-microphone measures - 30 years of progress? *AudiologyOnline*, Article 12410. Retrieved from: <https://www.audiologyonline.com>

Mueller HG. Probe-mic measures: hearing aid Fitting's most neglected element. *Hear J.* 2005;58(10):21-22+.

Mueller HG, Picou EM. Survey examines popularity of real-ear probe-microphone measures. *Hear J.* 2010;63(5):p 27-28,30,32.

Palmer C. Best practice - it's a matter of ethics. *Audiol Today.* 2009;(Sept/Oct):30-35.

Palmer C, Zitelli L, Jorgensen L. Unleashing the Power of Test Box and Real-Ear Probe Microphone Measurement. *Seminars in Hearing.* 2024;45(2).

Sanders J, Stoodly TM, Weber JE, Mueller HG. Manufacturers' NAL-NL2 fittings fail real-ear verification. <http://www.hearingreview.com/2015/02/manufacturers>. Accessed December 31, 2018.

Scollie S, Seewald R, Cornelisse L, Moodie S, Bagatto M, Larnagaray D, Beaulac S, Pumford J. The desired sensation level multistage input/output algorithm. *Trends Amplif.* 2005;9(4):159-197.

Valente M, Abrams H, Benson D, Chisolm T, Citron D, Hampton D, Loavenbruck A, Ricketts T, Solodar H, Sweetow R. Guidelines for the audiologic management of adult hearing impairment. *Audiol Today.* 2006;18(5):1-44.

Valente M, Oeding K, Brockmeyer A, Smith S, Kallogjeri D. Differences in word and phoneme recognition in quiet, sentence recognition in noise, and subjective outcomes

between manufacturer first-fit and hearing aids programmed to NAL-NL2 using real-ear measures. J Am Acad Audiol. 2018;29(8):706-721. <https://doi.org/10.3766/jaaa.17005>

Yanz J, Pisa J, Olson L. Integrated REM: real-ear measurement from a hearing aid. Hear Rev. 2014:1-11.

Zitelli L, Jedlicka D, Scaglione T, Cody L, Reitz A, Palmer C. ONLINE FEATURE - The results are in: 2020 member survey of the use of real-ear probe microphone measurements. Audiology Today. 2021; (July/August): 1-15.