

References: Pediatric Balance Assessment: It's as Simple as A-B-C, in partnership with the American Academy of Audiology

Presenter: Richard E. Gans, PhD, CCC-A, DFAA

Journal Articles

Gans, R. E. (2002). Classification of audio-vestibular symptoms related to migraine, part 3: Benign paroxysmal vertigo of childhood (BPVC). *Hearing Review*, 36, 38. <http://www.hearingreview.com/2002/11/classification-of-audiovestibular-symptoms-related-to-migraine-part-3-benign/>

Kelsch, T. A., Schaefer, L. A., & Esquivel, C. R. (2006). Vestibular evoked myogenic potentials in young children: Test parameters and normative data. *The Laryngoscope*, 116(6), 895–900. <https://doi.org/10.1097/01.mlg.0000214664.97022.90>

O'Reilly, R. C., Greywoode, J., Morlet, T., Miller, F., Henley, J., Church, C., Campbell, J., Beaman, J., Cox, A. M., Zwicky, E., Bean, C., & Falcheck, S. (2011). Comprehensive vestibular and balance testing in the dizzy pediatric population. *Otolaryngology–Head and Neck Surgery*, 144(2), 142–148. <https://doi.org/10.1177/0194599810393679>

O'Reilly, R. C., Morlet, T., Nicholas, B. D., Josephson, G., Horlbeck, D., Lundy, L., & Mercado, A. (2010). Prevalence of vestibular and balance disorders in children. *Otology & Neurotology*, 31(9), 1441–1444. <https://doi.org/10.1097/MAO.0b013e3181f20673>

Pikus, A. (2002). Heritable vestibular disorders. *Seminars in Hearing*, 23(2), 113–120. <https://doi.org/10.1055/s-2002-31530>

Zhou, G., Kenna, M. A., Stevens, K., & Licameli, G. (2009). Assessment of saccular function in children with sensorineural hearing loss. *Archives of Otolaryngology–Head & Neck Surgery*, 135(1), 40–44. <https://doi.org/10.1001/archoto.2008.514>

Book Chapter

Gans, R. E. (2019). Evaluation and management of vestibular function in infants and children with hearing loss. In J. Madell & C. Flexer (Eds.), *Pediatric audiology: Diagnosis, technology, and management* (3rd ed.). Thieme Medical Publishers.