

How Hearing Aid Sound Quality Can Improve Patients' Moods

Erin Margaret Picou, AuD, PhD, CCC-A

References

- Alhanbali, S., Dawes, P., Lloyd, S., & Munro, K. J. (2017). Self-reported listening-related effort and fatigue in hearing-impaired adults. *Ear and Hearing*, 38(1), e39–e48. <https://doi.org/10.1097/aud.0000000000000361>
- Anderson, M. C., Arehart, K. H., & Souza, P. E. (2018). Survey of current practice in the fitting and fine-tuning of common signal-processing features in hearing aids for adults. *Journal of the American Academy of Audiology*, 29(02), 118–124.
- Bannon, L., Picou, E. M., Bailey, A., & Manchaiah, V. (2023). Consumer survey on hearing aid benefit and satisfaction. *Journal of Speech, Language, and Hearing Research*, 66(4), 1410–1427.
- Basishvili, T., Shirakawa, Y., Rudzik, F., Stefani, O., Garbazza, C., Weibel, J., Freyburger, M., Renz, C., Cajochen, C., & Kobayashi, K. (2019). Effect of daylight LED on visual comfort, melatonin, mood, waking performance and sleep. *Lighting Research & Technology*, 51, 1044–1062. <https://doi.org/10.1177/1477153519828419>
- Bergefurt, A., Weijs-Perrée, M., Appel-Meulenbroek, R., & Arentze, T. A. (2022). The physical office workplace as a resource for mental health—A systematic scoping review. *Building and Environment*, 207, 108505. <https://doi.org/10.1016/j.buildenv.2021.108505>
- Boksem, M. A., & Tops, M. (2008). Mental fatigue: Costs and benefits. *Brain Research Reviews*, 59(1), 125–139. <https://doi.org/10.1016/j.brainresrev.2008.07.001>
- Borisuit, A., Linhart, F., Scartezzini, J.-L., & Münch, M. (2015). Effects of realistic office daylighting and electric lighting conditions on visual comfort, alertness and mood. *Lighting Research & Technology*, 47(2), 192–209. <https://doi.org/10.1177/1477153514531518>
- Caswell-Midwinter, B., & Whitmer, W. M. (2021). The perceptual limitations of troubleshooting hearing-aids based on patients' descriptions. *International Journal of Audiology*, 60(6), 427–437.
- Cunningham, D. R., Williams, K. J., & Goldsmith, L. J. (2001). Effects of providing and withholding postfitting fine-tuning adjustments on outcome measures in novice hearing aid users. *American Journal of Audiology*, 10(1), 13–23.

- Davidson, R. J., Sherer, K. R., & Goldsmith, H. H. (2009). *Handbook of affective sciences*. Oxford University Press.
- Davis, H., Schlundt, D., Bonnet, K., Camarata, S., Bess, F. H., & Hornsby, B. (2021). Understanding listening-related fatigue: Perspectives of adults with hearing loss. *International Journal of Audiology*, 60(6), 458–468. <https://doi.org/10.1080/14992027.2020.1834631>
- Dreschler, W. A., Keidser, G., Convery, E., & Dillon, H. (2008). Client-based adjustments of hearing aid gain: The effect of different control configurations. *Ear and Hearing*, 29(2), 214–227.
- Héту, R., Riverin, L., Lalande, N., Getty, L., & St-cyr, C. (1988). Qualitative analysis of the handicap associated with occupational hearing loss. *British Journal of Audiology*, 22(4), 251–264. <https://doi.org/doi:10.3109/03005368809076462>
- Hockey, R. G. J. (1997). Compensatory control in the regulation of human performance under stress and high workload: A cognitive-energetical framework. *Biological Psychology*, 45(1), 73–93.
- Holman, J. A., Drummond, A., & Naylor, G. (2021). Hearing aids reduce daily-life fatigue and increase social activity: a longitudinal study. *Trends in Hearing*, 25, 23312165211052786. <https://doi.org/10.1177/23312165211052786>
- Holman, J. A., Hornsby, B. W., Bess, F. H., & Naylor, G. (2021). Can listening-related fatigue influence well-being? Examining associations between hearing loss, fatigue, activity levels and well-being. *International Journal of Audiology*, 60(sup2), 47–59. <https://doi.org/10.1080/14992027.2020.1853261>
- Hornsby, B. W., Camarata, S., Cho, S.-J., Davis, H., McGarrigle, R., & Bess, F. H. (2023). Development and Validation of a Brief Version of the Vanderbilt Fatigue Scale for Adults: The VFS-A-10. *Ear and Hearing*, 44(5), 1251. <https://doi.org/10.1097/aud.0000000000001369>
- Hornsby, B. W., & Kipp, A. M. (2016). Subjective ratings of fatigue and vigor in adults with hearing loss are driven by perceived hearing difficulties not degree of hearing loss. *Ear and Hearing*, 37(1), e1–e10. <https://doi.org/10.1097/AUD.0000000000000203>
- Hornsby, B. W., Picou, E. M., Ricketts, T. A., & Gifford, R. (2024). Listening-related fatigue in new and experienced adult cochlear implant users. *Ear and Hearing*, 45(4), 929–944. <https://doi.org/10.1097/aud.0000000000001488>
- Hughes, S. E., Hutchings, H. A., Rapport, F. L., McMahon, C. M., & Boisvert, I. (2018). Social connectedness and perceived listening effort in adult cochlear implant users: A grounded theory to establish content validity for a new patient-reported outcome measure. *Ear and Hearing*. <https://doi.org/10.1097/AUD.0000000000000553>

- Jenstad, L. M., Van Tasell, D. J., & Ewert, C. (2003). Hearing aid troubleshooting based on patients' descriptions. *Journal of the American Academy of Audiology*, 14(7), 347–360.
- Kang, J.-Y. M., Johnson, K. K., & Kim, J. (2013). Clothing functions and use of clothing to alter mood. *International Journal of Fashion Design, Technology and Education*, 6(1), 43–52. <https://doi.org/10.1080/17543266.2012.762428>
- Keidser, G. (1996). Selecting different amplification for different listening conditions. *Journal of the American Academy of Audiology*, 7(2), 92–104.
- Keidser, G., Brew, C., Brewer, S., Dillon, H., Grant, F., & Storey, L. (2005). The preferred response slopes and two-channel compression ratios in twenty listening conditions by hearing-impaired and normal-hearing listeners and their relationship to the acoustic input: La pendiente preferida de respuesta y las relaciones de compresión en dos canales en veinte condiciones de escucha con hipoacúsicos y en sujetos normales y su relación con el ingreso acústico. *International Journal of Audiology*, 44(11), 656–670.
- Kramer, S., Kapteyn, T., & Houtgast, T. (2006). Occupational performance: Comparing normally-hearing and hearing-impaired employees using the Amsterdam Checklist for Hearing and Work. *International Journal of Audiology*, 45(9), 503–512. <https://doi.org/10.1080/14992020600754583>
- Mackersie, C. L., Boothroyd, A., & Garudadri, H. (2020). Hearing aid self-adjustment: Effects of formal speech-perception test and noise. *Trends in Hearing*, 24, 2331216520930545.
- Moody, W., Kinderman, P., & Sinha, P. (2010). An exploratory study: Relationships between trying on clothing, mood, emotion, personality and clothing preference. *Journal of Fashion Marketing and Management: An International Journal*, 14(1), 161–179. <https://doi.org/10.1108/13612021011025483>
- Nelson, P. B., Perry, T. T., Grogan, M., & VanTasell, D. (2018). Self-adjusted amplification parameters produce large between-subject variability and preserve speech intelligibility. *Trends in Hearing*, 22, 2331216518798264.
- Perry, T. T., Nelson, P. B., & Van Tasell, D. J. (2019). Listener factors explain little variability in self-adjusted hearing aid gain. *Trends in Hearing*, 23, 2331216519837124.
- Pichora-Fuller, M. K., Kramer, S. E., Eckert, M. A., Edwards, B., Hornsby, B. W., Humes, L. E., Lemke, U., Lunner, T., Matthen, M., & Mackersie, C. L. (2016). Hearing impairment and cognitive energy: the Framework for Understanding Effortful Listening (FUEL). *Ear and Hearing*, 37, 5S–27S. <https://doi.org/10.1097/AUD.0000000000000312>

- Picou, E. M. (2022). Hearing aid benefit and satisfaction results from the MarkeTrak 2022 survey: Importance of features and hearing care professionals. *Seminars in Hearing*, 43(04), 301–316.
- Picou, E. M., Balling, L. W., Dalzell, T., Branscome, K., & Branda, E. (2026). Optimizing Sound Quality Improves Hearing Aid Users' Moods and Listening-Related Fatigue. *Trends in Hearing*, 30, 23312165261431922.
<https://doi.org/10.1177/23312165261431922>
- Preminger, J., & Meeks, S. (2010). The influence of mood on the perception of hearing-loss related quality of life in people with hearing loss and their significant others. *International Journal of Audiology*, 49(4), 263–271.
<https://doi.org/10.3109/14992020903311396>
- Søgaard Jensen, N., Hau, O., Bagger Nielsen, J. B., Bundgaard Nielsen, T., & Vase Legarth, S. (2019). Perceptual effects of adjusting hearing-aid gain by means of a machine-learning approach based on individual user preference. *Trends in Hearing*, 23, 2331216519847413.
- Whitmer, W. M., Caswell-Midwinter, B., & Naylor, G. (2022). The effect of stimulus duration on preferences for gain adjustments when listening to speech. *International Journal of Audiology*, 61(11), 940–947.
- Wong, L. L., Hickson, L., & McPherson, B. (2003). Hearing aid satisfaction: what does research from the past 20 years say? *Trends in Amplification*, 7(4), 117–161.