

**Clinician and Patient Perspectives on Unexplained Hearing Complaints, in
partnership with the American Academy of Audiology**

Aryn Kamerer, PhD

References

- Alicea, C. C. M., & Doherty, K. A. (2017). Motivation to address self-reported hearing problems in adults with normal hearing thresholds. *Journal of Speech, Language, and Hearing Research*, 60(12), 3642–3655. https://doi.org/10.1044/2017_JSLHR-H-17-0110
- American National Standards Institute. (1996). *American National Standard specification for audiometers* (ANSI S3.6-1996). <https://doi.org/10.1044/1059-0889.0603.29>
- Barker, B. A. (in press). Motivational interviewing in audiology. In K. Muñoz & M. Twohig (Eds.), *Person- and family-centered care in audiology*. Oxford University Press.
- Bharadwaj, H. M., Masud, S., Mehraei, G., Verhulst, S., & Shinn-Cunningham, B. G. (2015). Individual differences reveal correlates of hidden hearing deficits. *The Journal of Neuroscience*, 35(5), 2161–2172. <https://doi.org/10.1523/jneurosci.3915-14.2015>
- Biernikiewicz, M., Taieb, V., & Toumi, M. (2019). Characteristics of doctor-shoppers: A systematic literature review. *Journal of Market Access & Health Policy*, 7(1), Article 1595953. <https://doi.org/10.1080/20016689.2019.1595953>
- Braun, V., & Clarke, V. (2006). Using thematic analysis in psychology. *Qualitative Research in Psychology*, 3(2), 77–101. <https://doi.org/10.1191/1478088706qp063oa>
- Braun, V., & Clarke, V. (2021). One size fits all? What counts as quality practice in (reflexive) thematic analysis? *Qualitative Research in Psychology*, 18(3), 328–352. <https://doi.org/10.1080/14780887.2020.1769238>
- Chambers, A. R., Resnik, J., Yuan, Y., Whitton, J. P., Edge, A. S., Liberman, M. C., & Polley, D. B. (2016). Central gain restores auditory processing following near-complete cochlear denervation. *Neuron*, 89(4), 867–879. <https://doi.org/10.1016/j.neuron.2015.12.041>
- Chertoff, M. E., Earl, B. R., Diaz, F. J., Sorensen, J. L., Thomas, M. L. A., Kamerer, A. M., & Peppi, M. (2014). Predicting the location of missing outer hair cells using the electrical signal recorded at the round window. *The Journal of the Acoustical Society of America*, 136(3), 1212–1224. <https://doi.org/10.1121/1.4890641>

Fitzgerald, M. B., Ward, K. M., Gianakas, S. P., Smith, M. L., Blevins, N. H., & Swanson, A. P. (2024). Speech-in-noise assessment in the routine audiologic test battery: Relationship to perceived auditory disability. *Ear & Hearing*, 45(4), 816–826. <https://doi.org/10.1097/aud.0000000000001472>

Gordon-Salant, S. (2005). Hearing loss and aging: New research findings and clinical implications. *Journal of Rehabilitation Research and Development*, 42(4, Suppl. 2), 9–24. <https://doi.org/10.1682/JRRD.2005.01.0006>

Greeno, E. J., Ting, L., Pecukonis, E., Hodorowicz, M., & Wade, K. (2017). The role of empathy in training social work students in motivational interviewing. *Social Work Education*, 36(7), 794–808. <https://doi.org/10.1080/02615479.2017.1346071>

Grose, J. H., & Mamo, S. K. (2010). Processing of temporal fine structure as a function of age. *Ear & Hearing*, 31(6), 755–760. <https://doi.org/10.1097/aud.0b013e3181e627e7>

Halverson, C., Clayton, E. W., Sierra, A. G., & Francomano, C. A. (2021). Patients with Ehlers-Danlos syndrome on the diagnostic odyssey: Rethinking complexity and difficulty as a hero's journey. *American Journal of Medical Genetics Part C: Seminars in Medical Genetics*, 187(4), 416–424. <https://doi.org/10.1002/ajmg.c.31935>

Han, L. A., & Poulsen, T. (1998). Equivalent threshold sound pressure levels for Sennheiser HDA 200 earphone and Etymotic Research ER-2 insert earphone in the frequency range 125 Hz to 16 kHz. *Scandinavian Audiology*, 27(2), 105–112. <https://doi.org/10.1080/010503998420342>

Hart, S. G., & Staveland, L. E. (1988). Development of NASA-TLX (Task Load Index): Results of empirical and theoretical research. *Advances in Psychology*, 52, 139–183. [https://doi.org/10.1016/S0166-4115\(08\)62386-9](https://doi.org/10.1016/S0166-4115(08)62386-9)

Kamerer, A. M., Kopun, J. G., Fultz, S. E., Allen, C., Neely, S. T., & Rasetshwane, D. M. (2019). Examining physiological and perceptual consequences of noise exposure. *The Journal of the Acoustical Society of America*, 146(5), 3947–3959. <https://doi.org/10.1121/1.5132291>

Kamerer, A. M., Harris, S. E., Kopun, J. G., Neely, S. T., & Rasetshwane, D. M. (2022). Understanding self-reported hearing disability in adults with normal hearing. *Ear & Hearing*, 43(3), 773–784. <https://doi.org/10.1097/aud.0000000000001161>

Kamerer, A. M., Barker, B. A., Meadows, M. A., & Lewis, C. E. (2024). Experiences of people with unexplained hearing concerns seeking hearing healthcare in the United States. *International Journal of Audiology*, 1–10. <https://doi.org/10.1080/14992027.2024.2404150>

Koerner, T. K., Papesh, M. A., & Gallun, F. J. (2020). A questionnaire survey of current rehabilitation practices for adults with normal hearing sensitivity who experience auditory difficulties. *American Journal of Audiology*, 29(4), 738–761.

https://doi.org/10.1044/2020_AJA-20-00027

Kujawa, S. G., & Liberman, M. C. (2006). Acceleration of age-related hearing loss by early noise exposure: Evidence of a misspent youth. *The Journal of Neuroscience*, 26(7), 2115–2123. <https://doi.org/10.1523/JNEUROSCI.4985-05.2006>

Kujawa, S. G., & Liberman, M. C. (2009). Adding insult to injury: Cochlear nerve degeneration after "temporary" noise-induced hearing loss. *The Journal of Neuroscience*, 29(45), 14077–14085. <https://doi.org/10.1523/JNEUROSCI.2845-09.2009>

Lobarinas, E., Salvi, R. J., & Ding, D. (2013). Insensitivity of the audiogram to carboplatin-induced inner hair cell loss in chinchillas. *Hearing Research*, 302, 113–120. <https://doi.org/10.1016/j.heares.2013.03.012>